


Heiðrún was a goat in Norse mythology who consumes the foliage of the tree Læraðr and produces mead for the einherjar.

psst...in this analogy, foliage stands for **metadata from DPLA Hubs**, and mead stands for **enriched data**

Study of a Goat. Thomas Gainsborough. from the Yale Center for British Art.
<http://dp.la/item/210bcc48b9d4e2b07dca5e477eb9aa5a>



```

1 Krikri::Mapper.define(:scdl_qdc, :parser => Krikri::QdcParser, :parser_args => '//qdc:qualifieddc') do
2   provider :class => DPLA::MAP::Agent do
3     uri 'http://dp.la/api/contributor/scdl'
4     label 'South Carolina Digital Library'
5   end
6
7   dataProvider :class => DPLA::MAP::Agent do
8     providedLabel record.field('dc:publisher').first_value
9   end
10
11   isShownAt :class => DPLA::MAP::WebResource do
12     uri record.field('dc:identifier')
13   end
14
15   preview :class => DPLA::MAP::WebResource do
16     uri record.field('dcterms:hasFormat')
17
18     # Per discussion with Gretchen on 1/28/15, we assume that dc:format will
19     # only contain values to be associated with `edm:preview`. We could add
20     # a mime-type checker enrichment here if we wanted.
21     dcformat record.field('dc:format')
22   end
23
24   originalRecord :class => DPLA::MAP::WebResource do
25     uri record_uri
26   end
27
28   sourceResource :class => DPLA::MAP::SourceResource do
29     collection :class => DPLA::MAP::Collection, :each => record.field('dcterms:isPartOf'), :as => :col
30     title coll
31   end
32
33   contributor :class => DPLA::MAP::Agent, :each => record.field('dc:contributor'), :as => :contrib d
34     providedLabel contrib
35   end
36


```

Revisions 1

Embed URL


<script src="https: 


HTTPS clone URL


https://gist.github 


You can clone with [HTTPS](#) or [SSH](#).


 **Download Gist**




















Thank you!

#Id4goats
@dpla

