

<b>MARC 21</b>	<b>PICA</b>	<b>DESCRIPTION</b>
<b>PPN</b>		
<b>001</b>	<b>003@</b>	
No indicators	No indicators	
	\$0	PPN
<b>Authority record / Cataloguing level</b>		
<b>002</b>		
No indicators		
\$a		<u>1<sup>st</sup> character:</u> T – Authority record (Thesaurus record)  <u>2<sup>nd</sup> character (Type of heading):</u> p – Personal name b – Corporate body  <u>3<sup>rd</sup> character (Cataloguing level):</u> x – complete r – incomplete B – possible duplicate
<b>ISNI</b>		
<b>003</b>	<b>003E</b>	
No indicators	No indicators	
\$0	\$0	ISNI or provisional ISNI
\$a	\$a	Status:  Assigned Provisional
\$b	\$b	no ISNI yet – reason:  No match initial database No match of low confidence data Low confidence match only Too many matches Incomplete data Erroneous data
\$c	\$c	confidence (indicates overall confidence in the metadata about the identity)  90 = affirmed by party and verified by one other source (e.g. institution, publisher) 80 = affirmed by party as the identity or behind the identity 70 = direct contact with party behind identity, but party

		<p>has not affirmed data</p> <p>60 = indirect contact with party behind identity</p> <p>50 = manually verified; no contact with party</p> <p>40 = library authority record agreed by 3 or more national sources AND country of one authority equals nationality of identity</p> <p>39 = library authority record agreed by 3 or more national sources</p> <p>31 = trade record; no direct contact with identity</p> <p>30 = library authority record agreed by 1 or 2 sources</p> <p>20 = derived from other database record, seemingly correct</p> <p>10 = derived from other database record, correctness unknown</p> <p>09 = derived from default profile</p>
\$d	\$d	extra information needed (list of fields needed/requested for disambiguation)
<b>Synchronisation protection</b>		
<b>009</b>	<b>002Z</b>	
##	\$S##	indicators undefined
\$2	\$2	source to protect (e.g. VIAF)
\$a	\$a	"protect" (from update)
\$b	\$b	timestamp when this field created (generated automatically)
\$c	\$c	created by (ISNI or cataloguer ID if added manually)
\$d	\$d	timestamp of rejected update
\$e	\$e	description of changes to protect, e.g. "lived" became "flourished"
<b>ISNI contributor, VIAF ID</b>		
<b>035</b>	<b>003Z</b>	
##	\$S##	Indicators undefined
\$l	\$l	<p>ACCE (Access Copyright Canada)</p> <p>AGLD (Author's Guild)</p> <p>AHST (American Historical Association)</p> <p>ALCS (Authors' Licensing and Copyright Society, U.K.)</p> <p>AMS (American Musicological Society)</p> <p>BOEK (Boekenbank, Belgium)</p> <p>BOWK (Books in Print, U.S.)</p> <p>BRTH (British Theses)</p> <p>CEDA (CEDAR, Netherlands)</p> <p>CEDR (Cedro, Spain)</p> <p>CISA (CISAC)</p> <p>ICLA (Irish Copyright Licensing Agency)</p> <p>IPDA (International Performers' Database Association)</p> <p>IPI (International Party identifier)</p> <p>IPN (International Performers' number)</p> <p>JNAM (JISC names, U.K.)</p> <p>MLA (Modern Languages Association)</p> <p>PROL (Prolitteris, Switzerland)</p> <p>PROQ (Proquest Theses)</p> <p>SCHU (Scholar Universe)</p> <p>VGWO (VG WORT, Germany)</p>

		VIAF (Virtual International Authority File) ZETO (ZETOC, U.K.)
\$0	\$0	Identifier
\$u	\$u	URI
<b>Cataloguing source</b>		
<b>040</b>	<b>010A</b>	
##	\$S##	Indicators undefined
\$a	\$a	Original cataloguing agency
<b>Dewey classification</b>		
<b>083</b>	<b>045K</b>	
Indicator 1	\$S	1 <sup>st</sup> indicator - 0 = full, 1 = abridged
#	#	2 <sup>nd</sup> indicator undefined
\$a	\$a	classification number
\$2	\$e	edition number
\$6	\$T	linkage
\$7	\$U	script identification code
\$8	\$4	field link & sequence number
\$2	\$2	source
<b>Other Identifier of the Identity</b>		
<b>090</b>	<b>006Z</b>	
##	\$S##	indicators undefined
\$a	\$0	identifier
\$b	\$l	type of identifier = IPI, local identifier
\$2	\$2	source
<b>Deleted ISNI, Merged with this record</b>		
<b>097</b>	<b>003F</b>	
No indicators	No indicators	
\$0	\$0	deleted ISNI
<b>Deleted PPN, Merged with this record</b>		
<b>098</b>	<b>003D</b>	
No indicators	No indicators	
\$0	\$0	PPN of deleted record
<b>Possible merge</b>		
<b>77A</b>	<b>038L</b>	
No indicators	\$S##	
\$a		Source code
\$b	\$d	P=Possible merge, M=Merge, N=Not equal, U=unknown
\$x	\$f	total evaluation score (value between 0 and 1)
\$9	\$9	PPN of other record
<b>Nationality of identity</b>		
<b>370</b>	<b>019A</b>	
##	\$S##	Indicators undefined

\$a	\$a	Nationality: ISO 3166-1 2 character codes: <a href="http://en.wikipedia.org/wiki/ISO_3166-1_alpha-2">http://en.wikipedia.org/wiki/ISO_3166-1_alpha-2</a>
\$2	\$2	source
<b>Gender of identity</b>		
<b>375</b>	<b>013@</b>	
##	\$S##	Indicators undefined
\$a	\$a	gender (male, female, unknown, not applicable)
\$2	\$2	source
<b>Language of identity</b>		
<b>377</b>	<b>010@</b>	
##	\$S##	Indicators undefined
\$a	\$a	language
\$2	\$2	source
<b>See reference – Personal name</b>		
<b>400</b>	<b>028@</b>	
Indicator 1	\$S	1 <sup>st</sup> indicator - 0=Forename; 1=Surname; 3=Family name
#	#	2 <sup>nd</sup> indicator undefined
\$a	\$a	personal name (Surname)
l	\$d	Forename
\$q	\$q	fuller form of name
\$b	\$l	numeration (e.g. John III)
\$c	\$f	titles & other words associated with a name
\$d	\$h	dates associated with a name
\$e	\$A	relator term
\$g	\$p	Miscellaneous information
\$i	\$I	Relationship information, e.g. Pseud, Maiden name, Mächenname
\$7	\$U	script identification code
\$2	\$2	Source
\$3	\$3	use of name (public, private, public & private, fictional character, unknown)
\$B	\$B	language of name
<b>See reference – Corporate name</b>		
<b>410</b>	<b>029@</b>	
Indicator 1	\$S	1 <sup>st</sup> indicator - 0 = Inverted name; 1 = Jurisdiction name; 2 = Name in direct order
#	#	2 <sup>nd</sup> indicator undefined
\$a	\$a	corporate name or jurisdiction name as entry element
\$b	\$b	subordinate unit
\$c	\$k	location of meeting
\$d	\$h	date of meeting or treaty signing
\$e	\$A	relator term
\$f	\$g	date of a work
\$g	\$p	miscellaneous information
\$h	\$n	medium
\$i	\$I	relationship information, e.g. Offizieller Name
\$k	\$i	form subheading
\$l	\$r	language of a work
\$n	\$L	number of part/section/meeting

\$p	\$M	name of part/section of a work
\$y	\$Z	chronological subdivision
\$z	\$Y	geographic subdivision
\$7	\$U	script identification code
\$2	\$2	source
\$3	\$3	use of name (common form, legal name, nickname, acronym, assigned name, transliterated name, disused name; see from default = common form)
\$B	\$B	language of name
<b>General note (non-public)</b>		
<b>667</b>	<b>047O</b>	
##	\$S##	Indicators undefined
\$a	\$a	note
\$2	\$2	source
<b>External information found (non-public)</b>		
<b>670</b>	<b>047M</b>	
##	\$S#	Indicators undefined
\$a	\$a	source citation
\$b	\$b	information found
\$u	\$u	uniform resource identifier
\$2	\$2	source
<b>External information found (public)</b>		
<b>671</b>		
##		Indicators undefined
\$a		source citation
\$b		information found
\$u		uniform resource identifier
\$2		source
<b>Heading – Personal name</b>		
<b>700</b>	<b>028C</b>	
Indicator 1	\$S	1 <sup>st</sup> indicator - 0=Forename; 1=Surname; 3=Family name
#	#	2 <sup>nd</sup> indicator undefined
\$a	\$a	personal name (Surname)
,-	\$d	forename
\$q	\$q	fuller form of name
\$b	\$l	numeration (e.g. John III)
\$c	\$f	titles & other words associated with a name
\$d	\$h	dates associated with a name
\$e	\$A	relator term
\$g	\$p	miscellaneous information
\$7	\$U	script identification code:  ISO 15924 (UNICODE) <a href="http://www.unicode.org/iso15924/iso15924-codes.html">www.unicode.org/iso15924/iso15924-codes.html</a> (4 character code) [default is Latn Latin]
\$0	\$0	source's identifier of this identity
\$2	\$2	source
\$3	\$3	use of name (public, private, public & private, fictional character, unknown; default is public for VIAF &

		unknown for other sources)
\$B	\$B	language of name:  ISO 639-2 <a href="http://id.loc.gov/vocabulary/iso639-2">http://id.loc.gov/vocabulary/iso639-2</a> (see also <a href="http://id.loc.gov/vocabulary/iso639-2.html">http://id.loc.gov/vocabulary/iso639-2.html</a> for the list of languages, and their codes), each having then an individual URI) (3 character code) [default is und "undetermined"]
<b>Heading – Corporate name</b>		
<b>710</b>	<b>029C</b>	
Indicator 1	\$S	1 <sup>st</sup> indicator - 0 = Inverted name; 1 = Jurisdiction name; 2 = Name in direct order
#	#	2 <sup>nd</sup> indicator undefined
\$a	\$a	corporate name or jurisdiction name as entry element
\$b	\$b	subordinate unit
\$c	\$k	location of meeting
\$d	\$h	date of meeting or treaty signing
\$e	\$A	relator term
\$f	\$g	date of a work
\$g	\$p	miscellaneous information
\$h	\$n	medium
\$k	\$i	form subheading
\$l	\$r	language of a work
\$n	\$L	number of part/section/meeting
\$p	\$M	name of part/section of a work
\$q	\$q	institution type:  Academic Library Archive or Special Collection Association or Society Broadcaster Consortium or Collaborative For Profit Corporation Discovery Platform or Service Distributor Fulfillment or Subscription Agency Funding agency Government Agency or Department Hospital or Health Agency Library Library Museum or Historical Society Not for Profit Organization Online Content Provider Producer Public Library Publisher Recording Agency Rights Clearance Agency School (K12) or School District Service Provider Standards body or Maintenance Organization University or College Other to be defined

\$y	\$Z	chronological subdivision
\$z	\$Y	geographic subdivision
\$7	\$U	script identification code
\$0	\$0	source's identifier of this identity
\$2	\$2	source
\$3	\$3	use of name (common form (default), legal name, nickname, acronym, assigned name, transliterated name, disused name)
\$B	\$B	language of name
<b>ISBN</b>		
<b>901</b>	<b>004A</b>	
##	\$S##	Indicators undefined
\$a	\$A	13-digit ISBN
\$0	\$0	10-digit ISBN
\$2	\$2	source
<b>ISSN</b>		
<b>902</b>	<b>005A</b>	
##	\$S##	indicators undefined
\$a	\$0	ISSN
\$y	\$y	incorrect ISSN
\$z	\$z	cancelled ISSN
\$2	\$2	source
\$6	\$T	linkage
\$7	\$U	script identification code
\$8	\$4	field link and sequence number
<b>LCCN</b>		
<b>903</b>	<b>006Y</b>	
##	\$S##	Indicators undefined
\$l	\$l	Label, e.g. OCoLC
\$a	\$0	LCCN
\$2	\$2	source
<b>Other Resource Identifier</b>		
<b>904</b>	<b>007S</b>	
##	\$S##	indicators undefined
\$a	\$0	identifier
\$u	\$a	URI
\$z	\$z	cancelled/invalid identifier
\$b	\$l	type of identifier = ISBN, ISSN, ISWC, ISRC, ISAN, ISMN, DOI, OCN, LCCN, IPD, other local identifier
\$2	\$2	Source
\$8	\$4	Field link and sequence number
<b>Title and Statement of Responsibility</b>		
<b>910</b>	<b>021A</b>	
##	\$S##	indicators undefined
\$a	\$a	title (@ is obligatory)
_;\$b	\$b	title proper by same author
_: \$b	\$d	subtitle
=\$b	\$f	parallel title proper
\$c	\$h	statement of responsibility

\$l	\$l	Language code
\$2	\$2	source
\$4	\$Z	confidence in association of resource to name - \$4 contains the code of the incoming source that also cites the same title. For a list of codes, see 035 field, subfield \$l.
<b>Contributed to (journal titles and titles of collected works)</b>		
<b>912</b>	<b>021B</b>	
##	\$S#	
\$a	\$a	title (@ is obligatory)
\$2	\$2	source
<b>Publisher</b>		
<b>921</b>	<b>033A</b>	
Indicator 1	\$S	1 <sup>st</sup> indicator - # = Not applicable/No information provided/Earliest available publisher; 2 = Intervening publisher; 3 = Current, latest publisher
#	#	2 <sup>nd</sup> indicator undefined
\$a	\$n	name of publisher, distributor, etc.
\$f	\$f	parallel name of publisher
\$2	\$2	source
<b>Countries associated with the identity</b>		
<b>922</b>	<b>019A</b>	
Indicator 1	\$S	# = LC classification; 1 = U.S. Dept. of Defence Classification; 7 = source specified in \$2
#	#	2 <sup>nd</sup> indicator undefined
\$a	\$a	geographic classification area code:  ISO 3166-1 2 character codes: <a href="http://en.wikipedia.org/wiki/ISO_3166-1_alpha-2">http://en.wikipedia.org/wiki/ISO_3166-1_alpha-2</a>
	\$y	state or region:  ISO 3166-2 <a href="http://en.wikipedia.org/wiki/ISO_3166-2">http://en.wikipedia.org/wiki/ISO_3166-2</a>
	\$z	city:  UN/LOCODE whenever available; Otherwise free-text, e.g. AU HBA = Hobart <a href="http://www.unece.org/cefact/locode/service/location.htm">http://www.unece.org/cefact/locode/service/location.htm</a>
\$2	\$2	code source
<b>Role</b>		
<b>941</b>	<b>032C</b>	
##	\$S##	Indicators undefined
\$a	\$a	role of identity: acp = art copyist act = actor adp = adapter aft = author of afterword, colophon anm = animator ann = annotator aqt = author in quotations or text abstracts



		<p>arc = architect arr = arranger art = artist aud = author of dialog aus = author of screenplay aut = author bdd = designer of binding bjd = bookjacket designer bkd = book designer bkp = book producer bnd = binder bpd = bookplate designer ccp = conceptor chr = choreographer clb = collaborator cli = calligrapher cmm = commentator cmp = composer cng = cinematographer cns = censor com = compiler cov = cover designer cpc = copyright claimant cph = copyright holder cre = creator crp = correspondent csl = consultant csp = consultant to a project cst = costume designer ctb = contributor ctg = cartographer cwt = commentator for written text dis = disertant dln = delineator dnc = dancer drm = draftsman drt = director dsr = designer dst = distributor dub = dubious author edt = editor egr = engraver etr = etcher fac = facsimilist flm = film/motion picture editor grt = graphic technician ill - illustrator ilu = illuminator ins = inscriber ive = interviewee ivr = interviewer lbt = librettist lgd = lighting lsa = landscape architect ltg = lithographer lyr = lyricist mcp = music copyist</p>
--	--	---

		mte = metal engraver mus = musician nrt = performer org = originator pbd = publishing director pbl = publisher pht = photographer plt = platemaker ppt = puppeteer prf = performer prg = programmer pro = producer rbr = rubricator rce = recording engineer red = redactor res = researcher rev = reviewer rpt = reporter rsg = restager rth = research team head rtm = research team member sad = scientific advisor sce = scenarist scl = sculptor scr = scribe sng = singer spk = speaker spn = sponsor srv = surveyor std = set designer stl = story teller trl = translator tyd = type designer vdg = videographer wam = writer of accompanying material wdc = woodcutter wde = wood engraver voc = vocalist
\$2	\$2	source
<b>Activity dates</b>		
<b>943</b>	<b>032B</b>	
##	\$S##	Indicators undefined
\$a	\$a	date(s) of activity, e.g. 2006; decade (e.g. "198" = 1980-1989)
\$2	\$2	source
<b>Creation class</b>		
<b>944</b>	<b>045R</b>	
##	\$S##	Indicators undefined
\$a	\$a	creation class, e.g. text, audio-visual. N.B. To be defined. Default = cre
\$2	\$2	source
<b>Affiliations (including co-authors) – Personal names</b>		
<b>950</b>	<b>028Z</b>	

# #	\$S#	indicators undefined
\$9	\$9	PPN of this associated identity
\$a	\$a	personal name (surname)
┌—	\$d	forename
\$q	\$q	fuller form of name
\$b	\$l	numeration
\$c	\$f	titles and other words associated with a name
\$d	\$h	dates associated with a name
\$g	\$p	miscellaneous information
\$i (only VIAF)	\$I	Relationship information, e.g. Pseud, Maiden name, Mächennname
\$i (only XML schema input)	\$i	is/is Not related (default = is)
\$0	\$0	source's identifier of this identity
\$t	\$t	relationship type (co author, co performer, separate identity of same party, colleague/collaborator, undefined or unknown, see also from (default value), no relation, contact
\$j	\$j	relationship qualification (e.g. prof. of physics)
\$w	\$w	start date relationship
\$x	\$x	end date relationship
\$2	\$2	source
\$3	\$3	use of name (public, private, public & private, fictional character, unknown)
\$B	\$B	language of name
<b>Affiliations (including co-authors) – Corporate names</b>		
<b>951</b>	<b>029Z</b>	
Indicator 1	\$S	1 <sup>st</sup> indicator - 0 = Inverted name; 1 = Jurisdiction name; 2 = Name in direct order
#	#	2 <sup>nd</sup> indicator undefined
\$9	\$9	PPN of this associated identity
\$a	\$a	corporate name or jurisdiction name as entry element
\$b	\$b	subordinate unit
\$g	\$p	miscellaneous information
\$y	\$Z	chronological subdivision
\$z	\$Y	geographic subdivision
\$i (input VIAF only)	\$I	Relationship information, e.g. Offizieller Name
\$i (input XML schema only)	\$i	is/is Not related (default = is)
\$0	\$0	source's identifier of this identity (ISNI, VIAF, IPI)
\$t	\$t	relationship type:  IsMemberOf HasMember isUnitOf hasUnit isSupersededBy

		supersedes isAffiliatedWith (e.g. an institution, a band) isRelatedTo see also from formerName laterName no relation Default value: see also from
\$j	\$j	relationship qualification (e.g. prof. of physics)
\$w	\$w	start date relationship
\$x	\$x	end date relationship
\$2	\$2	source
\$3	\$3	use of name (common form, legal name, nickname, acronym, assigned name, transliterated name, disused name; see from default = common form)
\$B	\$B	language of name
\$q	\$q	institution type
<b>Keyword or key phrase</b>		
<b>962</b>	<b>044K</b>	
##	\$S##	Indicators undefined
\$a	\$a	keyword or phrase
\$2	\$2	source
<b>Dates of the identity</b>		
<b>970</b>	<b>032A</b>	
##	\$S##	Indicators undefined
\$a	\$a	birth / commencement date
\$b	\$b	death / end date
\$c	\$c	date context (e.g. "lived")
\$2	\$2	source
<b>ISNI merge information (data is system generated after data merged into a field)</b>		
<b>976</b>	<b>061A</b>	
##	\$S##	indicators undefined
\$2	\$2	recipient source code
\$a	\$a	source of incoming record
\$b	\$b	date/time of match
\$c	\$c	matching data string
\$d	\$d	matching data type:  name title

		date partial title publisher affiliations (with persons) isbn issn linked identity (with organisations) other identifier (of resource)
\$e	\$e	matching score
\$f	\$f	total evaluation score
\$g	\$g	incoming record or URL
\$h	\$h	date/time stamp of notification
<b>ISNI Possible errors (manually entered or generated by dbase scan)</b>		
<b>977</b>	<b>061C</b>	
##	\$S##	indicators undefined
\$t	\$t	type of error: merge, duplicate, data error or split
\$2	\$2	recipient source code
\$0	\$0	recipient local identifier
\$b	\$b	date/time stamp of field creation
\$c	\$c	data field contents
\$d	\$d	data field identifier (e.g. 021A = title)
\$g	\$g	date/time stamp of notification
\$x	\$x	should be
\$y	\$y	correct ISNI
\$z	\$z	explanatory text