

# ISNI Web Interface Usage Guidelines

# Contents

I	Introdu	ction	3
2	Add your	data (source) to a person in ISNI	4
	2.1.1	TAB Identifiers and Names	5
	2.1.2	TAB Personal Details	6
	2.1.3	TAB Associations	6
	2.1.4	TAB Works	7
	2.1.5	TAB Class and Role	8
	2.1.6	TAB External Information and Notes	8
	2.2	ISNI assigned	10
	2.2.1	ISNI record in the database	10
3	Add your	data (source) to an organisation in ISNI	11
	3.1.1	TAB Identifier and Names	13
	3.1.2	TAB Organisation Details	14
	3.1.3	TAB Associations	14
	3.1.4	TAB Works	15
	3.1.5	TAB Class and Role	16
	3.1.6	TAB External Information and Notes	16
	3.2	ISNI assigned	17
	3.2.1	ISNI record in the database	18
4	Resolve	possible matches	19
5	New re	cords	21
	5.1	Search for a name (person)	21
	5.1.1	Entering a new name (person) with WebCat	22
	5.1.2	ISNI not assigned possible duplicate	23
	5.1.3	ISNI not assigned	23
	5.2	ISNI assigned	23
	5.3	ISNI record in database	24
	5.4	Search for a name (organisation)	25
	5.4.1	Entering a new name (organisation)	26
	5.4.2	ISNI not assigned possible duplicate	27

5.4.3	ISNI not assigned	
5.5	ISNI assigned	
5.6	ISNI record in database	

6	Error messages	
7	Related ISNI's	30
8 A	ANNEX Checks on data and conditions for assignment	
8.1	Initial Checks on data before Import	
8.1.1	Validation	31
8.1.2	Too Sparse	31
8.1.3	Data pass validation and sparseness checks	
8.2	Assignment	
8.2.1	Data are complete (rich)	
8.2.2	Name is unique	
8.2.3	Confident match is found	
8.3	Possible duplicate for your source	
8.4	Provisional ISNI for your source	

# 1 Introduction

With the ISNI Web interface you can:

- Add data (your source) to an ISNI, or edit your data (source) in an ISNI-record;
- Enter a new name for a person or organisation in ISNI;
- Resolve duplicate ISNI's;
- Report errors to the ISNI Quality Team.

To **find** ISNI's click HELP in the Web interface, or, check the documents: -ISNI Search guidelines;

-ISNI Database search guidelines organisations.

To **add** your data (source) to an ISNI: find and select the ISNI for the name or organisation, then add your data (source).

A provisional ISNI in the database is assigned when you add your data (source) with the Web interface.

Make sure the name for the person or organisation is not yet in ISNI before you **enter** a **new** record for a name or organisation in ISNI.

New names and organisations entered through the Web interface are also assigned an ISNI, provided the data are rich enough and the name is unique. Information about the criteria for richness and uniqueness can be found on the <u>ISNI website</u>.

Please refer to these documents for information about the data field references and the codes used in ISNI:

-ISNI Database fields consolidated

-ISNI Data element values

To obtain up to date versions of this and the other documents: contact <u>support-nl@oclc.org</u> or go to the ISNI web page <u>Resources.</u>

With your user and password, you can logon to the Member-database with the Web interface.

Use URL <u>https://isni-m.oclc.org</u> to access the ISNI production database. Use URL <u>https://isni-m-acc.oclc.org</u> to access the ISNI accept database. Here you can edit sources, add sources or enter new names for test purposes.

The screens in this document show the source NTA adding (fictional) data to an existing ISNI and entering two new ISNI's.

# 2 Add your data (source) to a person in ISNI

When you have found and selected the record, ISNI shows the name in the **labels**presentation, click **sources data** or **marc21** for record views that show the complete record as it is stored in the database.

The selected ISNI shown here is for **Gustavo Amigó Jansen**, the record has one source, the Library of Congress, represented as source VIAF LC.

The record has still status provisional, **Record no.** 45118374 is on display. When you add your data (source) to such a provisonal ISNI, an ISNI is assigned and the **labels** - presentation will show the **ISNI** in lieu of the **Record no.** 

results	sear	ch [and]	aph: amigo jans	en   3 hits
labels	sour	ces data	marc21	
edit rec	ord	L.	Record no.:	459118374
save			Name:	Amigó Jansen, Gustavo
			Name variant:	Amigó, Gustavo Jansen, Gustavo Amigó
			Titles:	posición filosófica del Padre Félix Varela, 1991:, L
			Notes:	
			Sources:	VIAF LC
			Publishers:	Editorial Cubana

Click edit record to add your data (source) to the selected name. The screen with the first TAB **Identifiers and Names** is presented. Refer to the document 'ISNI Database fields consolidated' for information about the fields:

Identifie	ers and Names	Personal Details	Associations	Works	Class a	ind Role	External I	nformation and Not	es
Save	changes Can	icel							
	System	PPN 4591	ISNI 18374 0000	000459118	337X	ISNI statu provisio			
	Identifier	identif VIAF	ier type ident	ifier 51139					
+	Add Identifier						Require	ed when adding you	ir source (NTA
	Name	forman Gust			surname Amigo	ó Jansen		VIAF	LC
+	Add Name						Require	ed when adding you	ır source (NTA
	Name variant	fornan	14 M		sumamo Amigo			VIAF	LC
	Name variant	fornan Gust	avo Amigó		sumame Janse	2		VIAF	LC
+	Add Name var	iant							

#### 2.1.1 TAB Identifiers and Names

To enter your data (source) click on the "+" signs of the fields you want to add. The input fields for your data appear:

	changes Cancel	onal Details    Associ	ations    Works    C	lass and Role    Ex	ternal Information and N	Notes	
	System	PPN 459118374	ISNI 00000004591183	ISNI status 7X provisional			
	Identifier	identifier type	identifier 26251139	_			
-	Identifier	identifier type	identifier 123444555				
+I	Add Identifier						
	Name	fornames Gustavo		urname Amigó Jansen	VIAF	LC	
-1	Name	fornames Gustavo		ımame migó Jansen	numeration	title	NTA
١	Add Name						
	Name variant	fornames Gustavo		urname Amigó	VIAF	LC	
	Name variant	fornames Gustavo Am		urname lansen	VIAF	LC	_
-	Name variant	fornames Gustavo, A.		ansen	numeration	title	NTA
Ŀ	Add Name variant						,

**Name** and your local **Identifier** are mandatory fields. However, if you do not have a persistent name identifier, you can leave the field **Identifier** empty. The **Name Variant** is optional and repeatable.

Greyed out fields show other sources' data. You cannot edit or remove these fields. Contact the ISNI Quality Team if you spot an error you would like to see corrected by adding a General Note at the 'TAB External Information and Notes'.

Click Save changes to add your source (message I OK) or select a TAB to add further data.

Note: **Name** and **Identifier** are sufficient to assign the provisional ISNI's in the database when you add your source data to an already existing ISNI.

Go to Par. 6 for Error messages.

#### 2.1.2 TAB Personal Details

To enter your data (source) click the "+" signs of the fields you want to add. For example language and year of birth:

Identifie	rs and Names	Personal Details	Associations	Works	Class and Role	External Information and Notes
Save	changes Ca	ancel				
_	Dates	birth 1956	i i	death	1	NTA
+	Add Dates					
_	Language	spa	NTA	e		
+	Add Langua	ge				
_	Gender	S6	elect one 🔻	NT	A	
+	Add Gender					
	Nationality	US	VIA	F	LC	
+	Add Nationa	lity				
Save	changes Ca	ancel				
	Save chan					TAD

Click Save changes to add your source (message I OK) or select another TAB to add more data.

Go to Par. 6 for Error messages,

#### 2.1.3 TAB Associations

Associations are other organisations or persons related to the person. To enter your data (source) click the "+" signs of the fields you want to add.

	fornames			sumame		Link!		1 Petterson, Jonathan Alex	
Related person	Jonathan			Petterson				Philosphical thoughts on plants	
Relation	is related	•	Relationship type co-author		. 🗢	Link!	K	1 Petterson, Jonathan Cody	
Relationship dates	begin		end						
PPN									
Add Relation to perso	Link Relation								
Related organisation	name								
Related organisation	La Trobe Uni	versit				L.,			
Relation	is related	•	Relationship type is affiliated v		-	-			
Relationship dates	begin		end						
PPN	033004064								
	Link Relation								
Add Relation to organ	nisation								

Enter the related name in **Related person** or **Related organisation** and select the **Relationship** and **Relation type**.

If the related name is in ISNI, you can establish a system link in ISNI. On the screen on the previous page a link is being established from Gustavo Amigó Jansen to Petterson.

If you do not know the PPN (=ISNI system generated number) of the Related name or Related organisation:

- Click Link! to trigger the name search. One or more hits are presented in a popup window.
- Click Link! to select the person or organisation. In the above example the PPN of the selected Petterson is added to the ISNI record.

If you do know the PPN of the Related name or Related organisation:

- Enter the related name in the field Related person or Related organisation and select the Relationship together with the Relation type.
- Enter the PPN (=ISNI system generated number) of the Related person or Related organisation in the field PPN. The previous page shows the PPN of the La Trobe Universityto which Gustave Amigó Jansen is affiliated.

See section 7 for examples of system linked relations.

Click Save changes to add your source (message I OK), or select another TAB to add more data.

Go to Par. 6 for Error messages.

#### 2.1.4 TAB Works

To enter your data (source) click the "+" signs of the fields you want to add, for example a book written by Gustavo Amigó Jansen and a journal he wrote an article for:

ave	changes Cance	el	
		title	
	Work	La @posición filosófica del Padre Félix Varela, 1991:	VIAF
-1	Work	title	
-	WOIK	The life and death of Fahter Varela	NTA
		subtitle	
±	Add Work		
+	Add Instrument		
1	Contributed to c	or title	
-	performed	Philosphical magazine for Spanish padres	NTA
+	Add Contributed	d to or performed	

Click Save changes to add your source (message I OK), or select another TAB to add more data.

Go to Par. 6 for Error messages,

#### 2.1.5 TAB Class and Role

To enter your data (source) click the "+" signs of the fields you want to add.

Identifier	s and Names	Personal Details	Associations	Works	Class and Role	Exte	rnal Informat	ion and Notes
Save c	hanges Ca	incel						
	Creation clas	ss am					VIAF	LC
_	Creation clas	text					NTA	
+	Add Creation	n class						
<u> </u>	Creation role	se	elect one		8	•	NTA	
+	Add Creation	n role						
Save c	hanges Ca	incel						
	Save chan ore data.	ges <sub>to</sub> add yo	our source (	messa	ge ፤ OK), or	sele	ect anoth	er TAB to
Go to F	Par. 6 for	Error m	essages,					

#### 2.1.6 TAB External Information and Notes

Click the "+" sign for **External Information** to add the person's website.

_	changes Ca		Associations	Works	Class and Role	External Information and Notes		_
d.	-	Inform	ation			URI		
-	External Info	My v	vebsite			www.authorswebsite.org	1	NTA
+	Add Externa	I Information						
+	Add General	Note						

Click Save changes to add your source (message I OK), or select another TAB to add more data.

Go to Par. 6 for Error messages,

#### 2.1.6.1 General Note

You can add a **General Note** to any record, with or without your source. Use **General note** to notify the members of the ISNI Quality Team of an error. Identifiers and Names Personal Details Associations Works Class and Role External Information and Notes

	Esta and the formation of	Information	URI	
-	External Information	My website	www.authorswebsite.org	NTA
+	Add External Information	on		
_	General note	Type your Message for Qualit	ty Team here	NTA
+1	Add General Note			

Click Save changes to add your source (message I OK), or select another TAB to add more data.

Adding a **General Note** to any record in ISNI triggers an email query to the ISNI Quality Team.

Add a note when you have found a duplicate ISNI, or a mixed identity (names of different persons in one ISNI record), or another error you wish to see corrected.


An ISNI tool generates the query mails for the Quality Team on a daily basis. In this example, the ISNI contributor Copyrus triggered the email by adding a **General Note** to Irina Viktorovna Chebakova's ISNI record:

ISNI User input alert on 2016-04-10

Search time: 2016-04-10 <u>http://isni-m.oclc.nl/DBS=1.3/PPN?PPN=453731732</u> Last updated by COPYRUS: 10-04-16 10:53:26.000 Ирина Викторовна, Чебакова, COPYRUS The information is complete, the name is unique, please, assign ISNI

#### 2.2 ISNI assigned

Contributor NTA added its data to the record; as a result, the ISNI is assigned. NTA also linked Amigó Jansen to the ISNI La Trobe University Library and to Petterson, the latter is entered as Jansen's co-author.



#### 2.2.1 ISNI record in the database

ISNI in marc21-presentation:

```
0 459118374
```

```
2 $аТрх
```

```
3 $000000045911837X$12016-11-07 11:36:23$aassigned$c60
```

```
8 $an$b|$c|$da$ec$fz$gn$hn$ia$ja$kb$ln$m|$na$oa$pa$qa$r|$s|
```

```
00A ISNI:31-10-16
```

00B NTA:07-11-16 11:36:23.000

00D ISNI:31-10-16

00U utf8 00X 0

35 ##\$IVIAF\$026251139

35 \$INTA\$0123444555

### 377 ##\$aspa\$2NTA

400 1#\$aAmigó, Gustavo\$2VIAF\$2LC 400 1#\$aJansen, Gustavo Amigó\$2VIAF\$2LC

#### 400 ##\$aJansen, Gustavo, A.\$2NTA

667 ##\$aType your Message for Quality Team here\$f2016-11-07 11:36:23\$2NTA 671 ##\$bMy website\$f2016-11-07 11:36:23\$gr\$uwww.authorswebsite.org\$2NTA 700 1#\$aAmigó Jansen, Gustavo\$3public\$2VIAF\$2LC\$0n 92004938 700 ##\$aAmigó Jansen, Gustavo\$2NTA 910 ##\$aLa @posición filosófica del Padre Félix Varela, 1991:\$2VIAF\$2LC 910 ##\$a@The life and death of Fahter Varela\$2NTA 912 ##\$a@Philosphical magazine for Spanish padres\$2NTA 921 ##\$aEditorial Cubana\$2VIAF\$2LC 922 ##\$aUS\$2VIAF\$2LC 941 ##\$aaut\$2NTA 943 ##\$a199.\$2VIAF 944 ##\$aam\$2VIAF\$2LC 944 ##\$atext\$2NTA 950 ##\$aPetterson, Alex Jonathan\$iY\$Tco-author\$2NTA\$9459118366\$8Jonathan Alex Petterson 951 ##\$aLa Trobe University Library\$iY\$TisAffiliatedWith\$2NTA\$9033004064 970 ##\$a1956\$2NTA

# 3 Add your data (source) to an organisation in ISNI

When you have found and selected the record, ISNI shows the organisation in the **labels**-presentation, click **sources data** or **marc21** for record views that show the complete record as it is stored in the database.

The selected ISNI shown here is for an institute of the ETH Zurich. The record has one source. The record status is still provisional: the screen shows the ISNI system generated **Record no.** 10712307X.

When you add your data (source) to a provisonal ISNI, an ISNI is assigned and the **labels**-presentation will show the **ISNI** in lieu of the **Record no**.



#### edit record -Record no.: 10712307X Name: Eidgenössische Technische Hochschule Zürich Institut für Orts-, Regional- und Landesplanung Bibliothek Name variant: Bibliothek Institut für Orts-, Regional- und Landesplanung Bibliothek Creation class: Language material . Related names: Schmucki, Anton Titles: Schlagwortverzeichnis : Anhang: Verzeichnis der Zeitschriften und Schriftenreihen Notes: VIAF SWNL Sources: Publishers: Institut für Orts-, Regional- und Landesplanung, Bibliothek

Click edit record to add your data (source) to the organisation in ISNI.

The screen with the first TAB **Identifiers and Names** is presented. Refer to the document 'ISNI Database fields consolidated' for information about the fields:

	System	PPN 10712307X	ISNI 00000001071	23079	ISNI status provisional			
		identifier type	identifier					
	Identifier	VIAF	159849818					
۲	Add Identifier						Required when adding	your source (N
		organisation		subdivi	sion	subdivision		
	Name	Eidgenössis	che Technis	Instit	ut für Orts-, Regic	Bibliothek	VIAF	SWNL
Ŀ	Add Name						Required when adding	your source (N
		organisation						
	Name	Bibliothek						
	Name variant	VIAF	SWNL					
	1	organisation		subdivi	sion			
	Name	Institut für	Orts-, Regic	Biblio	thek			
	Name variant	VIAF	SWNL					
	Name Name variant	Institut für						

ISNI Data Web Interface Usage Guidelines 2016-12-16

#### 3.1.1 TAB Identifier and Names

To enter your data (source) click on the "+" signs of the fields you want to add. The input fields for your data appear:

Identifi	ers and Names	Organisation details	Associations	Works	Class and Role	External Infor	mation and Notes		
Save	changes Ca	ancel							
	System	PPN 1071230	ISNI 07X 000000	01071230	ISNI status 079 assigned				
		identifier	type identifier						
	Identifier	VIAF	15984	9818					
		identifier (	type identifier						
_	Identifier	NTA	12345	544			Ê.		
+	Add Identifie	er							
		organisat	ion	51	ubdivision	sut	odivision		
	Name	Eidgen	össische Tech	nis I	institut für Orts-,	Regic Bi	bliothek	VIAF	SWNL
		organisati	ion	su	ubdivision			_	
_	Name	Eidgen	össische Tech	nis II	nstitut für Orts-,	Regic NT	A		
	O	organisati	ion type						
	Organisatio	univers	sity or college			•			
+	Add Name								
		organisati	ion						
	Name	Biblioth	nek						
	Name variar	VIAF	SWNL						

Name and your local Identifier are mandatory fields. However, if you do not have a persistent name identifier, you can leave the field Identifier empty. The Name Variant is optional and repeatable.

Greyed out fields show other sources' data. You cannot edit or remove these fields. Contact the ISNI Quality Team if you spot an error you would like to see corrected by adding a General Note at the TAB External Information and Notes.

Click Save changes to add your source (message I OK) or select a TAB to add more data.



Go to Par. 6 for Error messages.

#### 3.1.2 TAB Organisation Details

To enter your data (source) click on the "+" signs of the fields you want to add. For example to add the UNESCO locode to the record:

	5.4	decade						
	Dates	196.		VIAF				
Ŀ	Add Date							
·	Add Usage dates	5						
Ŀ	Add Language							
-1		country		locode	region or state		ity	
1	Location	СН	ă.	CH ZRH	1	ă.		NTA
Ŀ	Add Location							
J	Add Associated	Country						
	Publisher	Institu	t für O	rts-, Regic	VIAF			
·I	Add Publisher							

Click Save changes to add your source (message I OK) or select a TAB to add more data.

Go to Par. 6 for 🛏	Error messages.

#### 3.1.3 TAB Associations

Associations are other organisations or persons related to the organisation. To enter your data (source) click on the "+" signs of the fields you want to add.

Save	changes Cancel					
		fornames	surname	Link!	K	1 Amigó Jansen, Gustavo (1908-)
	Related person	Anton	Schmucki			
		Link Relation		Link!	1	2 Amigó Jansen, Gustavo The life and death of Fahter Varela
3		fornames	sumame			
_	Related person	Gustavo	Amigo Jansen			
	Relation	is related Relations	hip type			
	Relation	related • has en	nployee •	-		
	Relationship dates	begin end				
	PPN					
		Link Relation				
Ŀ	Add Relation to pers	on				
4	1201010-0010-0010-0010-0010-0010-0010-0	name				
-	Related organisation	Eidgenössische Technische Ho	ochschule	NTA		
	Relation	is related Relations	hip type			
	Relation	🛌 related 🔹 is unit	of •			
	Relationship dates	begin end				
	PPN	121609529				
		Link Relation				

Enter the related name **Related person** or **Related organisation** and select the **Relationship** and the **Relation type**. See *Anton Schmucki* in the above example who has been added earlier.

If the related name is also in ISNI, you can establish a system link in ISNI. On the screen on the previous page a link is established from the Eidgenössische Technische Hochschule to Gustavo Amigó Jansen.

If you do not know the PPN (=ISNI system generated number) of the **Related** name or **Related organisation**:

- Click Link! to trigger the name search. One or more hits are presented in a popup window.
- Click Link! to select the person or organisation. In the above example the PPN of Gustavo Amigó Jansen will be added to the record.

If you do know the PPN of the Related name or Related organisation:

- Enter the related name in the field Related person or Related organisation and select the Relationship together with the Relation type.
- Enter the PPN (=ISNI system generated number) of the Related person or Related organisation in the field PPN. For example the PPN of the ETH Zürich to which the institute is related.

See section 7 for examples of system linked relations.

Click Save of	changes <sub>to</sub>	add your	source (	message ፤	OK) or	select a	TAB to	o add
more data.								

Go to Par. 6 for Error messages.

#### 3.1.4 TAB Works

To enter your data (source) click on the "+" signs if you want to add titles of publications issued by the organisation, the field is repeatable:

	Work	title @Schlagwortverzeichnis	VIAF	SWNL
		subtitle		
		Anhang: Verzeichnis der Zeitschriften und Schriftenreihen		
-1	Work	title	No.	
-	- Torn		NTA	
		subtitle		
Ŀ	Add Work			

Click Save changes to add your source (message I OK) or select a TAB to add more data.

Go to Par. 6 for Error messages.

#### 3.1.5 TAB Class and Role

To enter your data (source) click on the "+" signs of the fields you want to add.

	Creation class	am	VIAF	SWNL
-	Creation class		NTA	
-1	Add Creation class			
-	Creation role	select one 👻	NTA	
-1	Add Creation role			

Go to Par. 6 for Error messages.

#### 3.1.6 TAB External Information and Notes

Click External Information to add the organisation's website.

		Information	URI	
-	External Information	Institutes website www.InstituteETH.org		NTA
+	Add External Information	on		
+	Add General Note			

Click Save changes to add your source (message I OK), or select a TAB to add more data.

Go to Par. 6 for Error messages.

#### 3.1.6.1 General Note

Adding a **General Note** to any record in ISNI triggers an email query to the ISNI Quality Team.

Add a note when you have found a duplicate ISNI, or a mixed identity (names of different organisations in one ISNI record), or another error you wish to see corrected.

Identifiers a	and Names	Organisat	ion details	Associations	Works	Class and Role	External Information and Notes		
Save cha	anges Ca	ncel							
			Informatio	n			URI		
-	External Info	rmation	Institutes website				www.InstituteETH.org		NTA
± /	Add External	Informati	on						
<u> </u>	General note		Туре ус	our message f	or the Is	SNI Quality Tean	n here	NTA	-
± 7	Add General	Note							

An ISNI tool generates the query mails for the Quality Team on a daily basis. In this example, an End-user triggered the email by adding a **Note** in public ISNI database (<u>http://isni.org/search</u>):

📿 Reply	🕞 Reply All 🕞 Forward		
1250	wo 2-11-2016 0:10		
	10		
	ISNI User input alert on 2016-	11-01	
To ·		•	

Search time: 2016-11-01 http://isni-m.oclc.nl/DBS=1.3/PPN?PPN=403722101 Last updated by ENDUSER 01-11-16 21:48:32.000

There is no single record that reflects our institute clearly. Official name: The New Zealand Institute for Plant & Food Research Ltd; referred to as Plant & Food Research

#### 3.2 ISNI assigned

Contributor NTA added their data to the record; as a result, the ISNI has been assigned. Contributor NTA also linked the Institute to the ISNI of the main organisation and linked Amigó Jansen as an employee of the institute.  $\square_{OK}$ 

labels	source	es data	marc21	
edit reco	ord		ISNI:	0000 0001 0712 3079
authority save	y		Name:	Eldgenössische Technische Hochschule Institut für Orts-, Regional- und Landesplanung (University or College, Eidgenössische Technische Hochschule Zürich Institut für Orts-, Regional- und Landesplanung Bibliothek
			Name variant:	Bibliothek Institut für Orts-, Regional- und Landesplanung Bibliothek
			Location / Nationality:	Switzerland
			Creation class:	Language material
			Related names:	Amigo Jansen, Gustavo (hasEmployee) Eidgenössische Technische Hochschule Schmucki, Anton
			Titles:	Schlagwortverzeichnis : Anhang: Verzeichnis der Zeitschriften und Schriftenreihen
			Notes:	Institutes website www.InstituteETH.org
			Sources:	VIAF SWNL NTA
			Publishers:	Institut für Orts-, Regional- und Landesplanung, Bibliothek

#### 3.2.1 ISNI record in the database

The ISNI in **marc21**-presentation:

- 0 10712307X
- 2 \$aTbr
- 3 \$0000000107123079\$12016-11-04 14:34:55\$aassigned\$c60

00A 99999999:10-11-09

00B NTA:07-11-16 12:34:56.000

00D 99999999:10-10-11

00U utf8

00X 0

35 ##\$IVIAF\$0159849818

35 \$INTA\$012345644

#### 370 ##\$aCH\$tCH ZRH\$2NTA

410 2#\$aBibliothek\$2VIAF\$2SWNL

410 2#\$alnstitut für Orts-, Regional- und

Landesplanung\$bBibliothek\$2VIAF\$2SWNL

#### 667 ##\$aType your message for the ISNI Quality Team here\$f2016-11-07

<mark>12:34:56\$2NTA</mark>

671 ##\$bInstitutes website\$f2016-11-07

12:34:56\$gr\$uwww.InstituteETH.org\$2NTA

710 2#\$aEidgenössische Technische Hochschule Zürich\$bInstitut für Orts-, Regional- und

Landesplanung\$bBibliothek\$3commonForm\$2VIAF\$2SWNL\$0vtls002076604

710 ##\$aEidgenössische Technische Hochschule\$bInstitut für Orts-, Regionalund Landesplanung\$qUniversity or College\$2NTA

910 ##\$a@Schlagwortverzeichnis :\$bAnhang: Verzeichnis der Zeitschriften und Schriftenreihen\$2VIAF\$2SWNL

921 ##\$alnstitut für Orts-, Regional- und Landesplanung,

Bibliothek\$2VIAF\$2SWNL

943 ##\$a196.\$2VIAF

944 ##\$aam\$2VIAF\$2SWNL

950 ##\$aSchmucki, Anton\$2NTA

950 ##\$aAmigo Jansen, Gustavo\$iY\$ThasEmployee\$2NTA

951 ##\$aEidgenössische Technische

Hochschule\$iY\$TisUnitOf\$2NTA\$9<u>121609529</u>\$8Eidgenössische Technische

Hochschule (Zurych)

### 4 Resolve possible matches

Your records with a possible duplicate in the database are in ISNI with a so-called B-link to the possible duplicate.

To search online for your records with B-links, use the searck key **bs:** . To find all your duplicates use the query *bs:* [01]? <*your source code>*, for example *fin bs:* [01]? *cedr* will retrieve all duplicates of the contributor CEDR.

The next example shows a record supplied by the source MUBZ. The ISNI algorithm matched the entered MUBZ name with another record with 75.0000 similarity and flagged the record with status provisional for inspection.

Click compare to show the possible match:

snortlist	title	e data	search history	
results	sear	ch [and]	ppn: 407231137	1 hits
abels	sour	ces data	marc21	
edit rec save	ord	L.	Possible merge Record no.: Name: Name variant: Dates: Creation class:	: 379521326 75.000 Possible match compare 407231137 Abe, Shizue Shizue Abe born 1951-11-28 Musical sound recording
			Creation role: Notes: Sources:	performer http://ja.wikipedia.org/wiki/%E3%81%82%E3%81%B9%E9%9D%99%E6%B1%9 MUBZ

Investigate and click Equal when both records are for the same public identity

K	Possible merge:	379521326 75.000 Possible match under comparison →	Record no.:	379521326
	Record no.:	407231137	Name:	あべ、静江
	Name:	Abe, Shizue		あべ静江
	Name variant:	Shizue Abe	Name variant:	Abe, Shizue
	Dates:	born 1951-11-28		Shizue Abe (actrice et chanteuse japonaise) Shizue Abe (Japanese actress and singer)
	Creation class:	Musical sound recording		アベ、シズエ
	Creation role:	performer		阿部,静江
	Notes:	http://ja.wikipedia.org/wiki/%E3%81%82%E3%81%B9	Dates:	1951-
		%E9%9D%99%E6%B1%9F	Location / Nationality:	Japan
	Sources:	MUBZ	Creation class:	Language material
			Titles:	Ara yasechatta あら、やせちゃった!
			Notes:	Wikipedia http://ja.wikipedia.org/wiki/あべ静: Wikidata
			Sources:	VIAF NDL WKD
			Publishers:	Magajinhausu マガジンハウス

#### Clicking Equal sets the M (merge) status for the record.

labels	sources	data	marc21	
edit rec save	ord		Possible merge: Record no.:	379521326 75.000 Equal compare 407231137
			Name:	Abe, Shizue
			Name variant:	Shizue Abe
			Dates:	born 1951-11-28
			Creation class:	Musical sound recording
			Creation role:	performer
			Notes:	http://ja.wikipedia.org/wiki/%E3%81%82%E3%81%B9%E9%9D%99%E6%B1%9F
			Sources:	MUBZ

# ISNI software inspects the database on a daily basis and merges the records. The merged record for MUBZ's ShizueAbe:

edit record	I.	ISNI:	0000 0003 7952 1329
save		Name:	Abe, Shizue あべ, 静江 あべ静江
		Name variant:	Abe, Shizue Shizue Abe Shizue Abe (actrice et chanteuse japonaise) Shizue Abe (Japanese actress and singer) アベ, シズエ 阿部, 静江
		Dates:	1951-
		Location / Nationality:	Japan
		Creation class:	Language material Musical sound recording
		Creation role:	performer
		Titles:	Ara yasechatta あら、やせちゃった!
		Notes:	Wikipedia http://ja.wikipedia.org/wiki/あべ静江 http://ja.wikipedia.org/wiki/%E3%81%82%E3%81%B9%E9%9D%99%E6%B1%9 Wikidata
		Sources:	VIAF NDL WKD MUBZ

# 5 New records

Before adding a new record, a search should first be made by name to see if there is already a record on the database.

Click Help for online search guidelines or go to the <u>ISNI Search Guidelines</u> on the ISNI-website.

#### 5.1 Search for a name (person)

You can search for the name or browse for the name in the family name index. Here are some search examples.

Broad	search	for the	forename	and family	v name:
Diodu	Scarch	ior the	TOTCHAIL		y name.

Search | Results | Advanced | My shelf | Help | WebCat

search [and]  Any Phrase (APH:)	▼ sort by name ▼
pieter jan pieterszoon	search less
approximate search	

Browse in the family name index with the first intial of the forename: Search | Results | Advanced | My shelf | Help | WebCat

browse 👻 Name (NA:)	<ul> <li>sort by name</li> </ul>	•
pieterszoon, p	search less	
approximate search		

Alternatively, search for the family name whilst including all forenames starting with p:

	Search	Results	Advanced	My shelf	Help	WebCat
--	--------	---------	----------	----------	------	--------

search [and] 🔻	Name (NA:)	✓ sort	by	name	•
pieterszoon, p?			Se	earch less	
approximate	search				

Click on WebCat in the sytem menu if the name is not in ISNI: Search | **Results** | Advanced | My shelf | Help | WebCat

#### Select Add an identity: person of fictional character here: View of WebCat functions

Here is the list with available WebCat forms. Please pick the appropriate form for the record you want to create or edit.

Add an identity: organisation

Add an identity: person or fictional character

The input template for a personal name appears.

#### 5.1.1 Entering a new name (person) with WebCat

Add as many of the fields indicated with the green arrow to ensure assignment. The fields with a "+" sign are repeatable. Refer to the document 'ISNI Database fields consolidated' for information about the fields.

		identifier type	identifie	r			
	Identifier	NTA	12345	676			
		fornames		surname		numeration	title
	Name	Pieter Jan		Pieters	zoon		Professor
		birth		death			
	Dates	1956	i				
+	Creation class	text			i		
+	Creation role	author			*		
		title					
+	Work	History of B	oekelo				
		subtitle					
+	Instrument					ž	
_	O	title					
+	Contributed to or performed						
		fornames		surname		numeration	title
<u>+</u>	Name variant						
		fornames			surname		
±	Related person	Jonathan			Peterson		
		is related		Relationship typ	pe		
	Relation	related	•	colleague /	collaborator	•	
	Deletionship datas	begin		end			
	Relationship dates						
	PPN	459118366					
(		name					
+	Related organisation	Madurodam	Universit	v			
		is related	oniverbit	Relationship type			
	Relation	related	-	is affiliated wi	th 🔹		
	B. L. Combined at the	begin	en	d			
	Relationship dates						
	PPN						
+	Language	i					
	Gender	male	•				
+	Nationality						
+1	External Information	Information			URI		
-	External mormation						
+	General note						
Save	changes Cancel						
Click	Save changes	to insert t	he nev	w ISNI (me	ssage ፤ OK	).	
			-	,	0	/	
	*						
Go to	Par. 6 for 🛄	Error mes	sages				

#### 5.1.2 ISNI not assigned possible duplicate

When a new name is entered, the ISNI algorithm checks the database for possible duplicates. If a possible duplicate is found (name is not unique), a record with status provisional is entered and presented on the screen with its possible double. Information about the ISNI Data policy can be found on the <u>ISNI website</u>. The assignment rules that are applied by the ISNI matching and merging software are detailed in section 8. Annex.

By resolving the duplicate, you get an assigned ISNI for the name.


#### 5.1.3 ISNI not assigned

When you enter a new name, the ISNI server checks the data for completeness. Only when a group of data is present, an ISNI is assigned.

If data required for assignment are missing, the status of the record is set to provisional. The record is presented with its **Record no.** instead of the **ISNI**. Information about the ISNI Data policy can be found on the <u>ISNI website</u>.

The assignment rules that are applied by the ISNI matching and merging software are detailed in section 8. Annex.

For example this single source record (only 1 contributor) is not rich enough for assignment:



For assignment click edit, add more data and the **General Note** for the ISNI Quality Team: "Name is complete, name is unique, please assign". At this point in time (December 2016) it is not possible to assign an ISNI that has your source only.

#### 5.2 ISNI assigned

New names and organisations you enter with the Web interface are assigned an ISNI, provided the data are rich enough and unique.

Contributor NTA entered a rich and unique record and an ISNI has been assigned.

#### i ---> 459118412

labels	sour	ces data	marc21	
edit rec	ord	L.	ISNI:	0000 0004 5911 8417
save			Name:	Pieterszoon, Pieter Jan (Professor)
			Dates:	born 1956
			Creation class:	text
			Creation role:	author
			Related names:	Madurodam University Peterson, Jonathan (colleague / collaborator)
			Titles:	History of Boekelo
			Notes:	
			Sources:	NTA

#### 5.3 ISNI record in database

The assigned record for Pieterszoon in marc21-presentation:

```
0
    459118412
2
    $aTpx
3
    $0000000459118417$12016-11-03 17:07:07$aassigned$bno match initial
database$c60
    $a|$b|$c|$d|$e|$fz$gn$hn$i|$j|$k|$||$m|$n|$oa$p|$q|$r|$s|
8
00A NTA:03-11-16
00B NTA:03-11-16 17:07:07.000
00D NTA:03-11-16
00U utf8
00X 0
35 $INTA$012345676
375 ##$amale$2NTA
700 ##$aPieterszoon, Pieter Jan$cProfessor$2NTA
910 ##$a@History of Boekelo$2NTA
941 ##$aaut$2NTA
944 ##$atext$2NTA
950 ##$aPeterson, Jonathan$iY$Tcolleague /
collaborator$2NTA$9459118366$8Jonathan Alex Petterson
951 ##$aMadurodam University$iY$TisAffiliatedWith$2NTA
970 ##$a1956$2NTA
976 ##$2NTA$aNTA$b2016-11-03 17:07:07$cis_unique is_rich$dbirthyear etc.$e0$f0
```

#### 5.4 Search for a name (organisation)

Search for an organisation with the exact name, add quotes like in the example below when you use the NA key:

searc	h [and] 👻	Name (NA:)	•	sort by	name	
Gibrar	y universit	Name (NA:) y gotham")			search less	
n ap	proximate	search				
	100-100 Do 100	h history				
shortlist	title data	search history				

If no name was found with the exact name, search for the organisation with words occuring in the name:

		1 (1 H 1 (1 H H 1 )				_
searc	th [and] 🔻	Name Keyword (NW:)	•	sort by	name	
gotha	m universit	ty library			search less	
	oproximate	search				
shortlist	title data	search history				
results						
		n of) search term(s) was not foun vanced   My shelf   Help   Web0				
ch   <b>R</b> e	sults   Ad	vanced   My shelf   Help   WebC		sort by	name	
ch   Re	sults ∣Ad h [and] ▼	vanced   My shelf   Help   WebC Name Keyword (NW:)	Cat			
searc gotha	sults   Ad	vanced   My shelf   Help   WebC Name Keyword (NW:) y library	Cat		name search less	

Your (combination of) search term(s) was not found in the index.

#### 5.4.1 Entering a new name (organisation)

Click WebCat when you are sure the name is not ye	
Search   Results   Advanced   My shelf   Help	WebCat

#### Click Add an identity: organisation here:

#### View of WebCat functions

Here is the list with available WebCat forms. Please pick the appropriate form for the record you want to create or edit.

Add an identity: organisation

Add an identity: person or fictional character

The input template for an organisation appears.

The fields with a "+" sign are repeatable. Add as many of the fields marked with red arrows as possible to ensure assignment. Refer to the document 'ISNI Database fields consolidated' for information about the fields:

Save	changes Cancel								
	Identifier		dentifier 12233444						
	Organisation type	organisation type							
	Name	academic libra		subdivision			<		
	Nume.	Library Univers	sity Madu	subdivision		NTA			
+	Name variant	Madurodam Lit			(Start)	NTA	Ι.		
+	Location	NL E	NL HAG		I ZH	r state	i	lity	NTA
	Usage dates	usage date from	usa	ge date to					
+	Related person	fornames			surname		_	$\langle   $	
	Relation	Pieter is related		elationship type	Pieterszoon				
		related begin	• i end	s related to	•		-		
	Relationship dates	450110410							
	FFN	459118412							
±	Related organisatior	name University	/ Maduro	odam					
	Relation	is related			t of		-	-	
	Relationship dates	begin	-	end					
	PPN								
<u>+</u>	Work	title							
		subtitle							
+	Creation class					i			
+	Creation role	select	one			•			
+	Language		£						
+	External Information	Information				URI			
+	General note								
Cours	changes Cancel								

Click Save changes to insert the new ISNI (message I OK).

Go to Par. 6 for Error messages.

#### 5.4.2 ISNI not assigned possible duplicate

When a new name is entered, the ISNI algorithm checks the database for possible duplicates. If a possible duplicate is found (name is not unique), a record with status provisional is entered and presented on the screen with its possible double.

Information about the ISNI Data policy can be found on the <u>ISNI website</u>. The assignment rules that are applied by the ISNI matching and merging software are detailed in section 8. Annex.

By resolving the duplicate, you get an assigned ISNI for the name.

#### 5.4.3 ISNI not assigned

When you enter a new name, the ISNI server checks the data for completeness. Only when a group of data are present, an ISNI is assigned.

If data required for assignment are missing, the status of the record is set to provisional.

Information about the ISNI Data policy can be found on the <u>ISNI website</u>. The assignment rules that are applied by the ISNI matching and merging software are detailed in section 8. Annex.

The record is presented with its **Record no.** instead of the **ISNI**. For example:

i ---> 459118498

labels	sour	ces data	marc21	
edit rec	ord	<b>(**#</b>	Record no.:	459118498
save			Name:	HappyMeals
			Location / Nationality:	United States
			∎ Notes	
			Sources:	NTA

Click edit, add more data and the **General Note** for the ISNI Quality Team: "Name is complete, name is unique, please assign". At this point in time (November 2016) it is not possible to assign an ISNI that has your source already.

#### 5.5 ISNI assigned

New names and organisations you enter with Web interface are assigned an ISNI, provided the data are rich enough and unique.

labels	sources da	ata marc21	
edit rec	ord	ISNI:	0000 0004 5911 8441
save		Name:	Library University Madurodam (Academic Library)
		Name variant:	Madurodam Library
		Location / Nationality	: Netherlands Zuid-Holland The Hague
		Related names:	Pieterszoon, Pieter (isRelatedTo) University <b>Madurodam</b>
		Notes:	Library's website librarymadurodam.org
		Sources:	

#### 5.6 ISNI record in database

Record in marc21-presentation for the Library University Madurodam:

- 0 459118447
- 2 \$aTbx

```
$0000000459118441$12016-11-07 14:11:27$aassigned$bno match initial
3
database$c60
8
   $a|$b|$c|$d|$e|$fz$gn$hn$i|$j|$k|$||$m|$n|$oa$p|$q|$r|$s|
00A NTA:07-11-16
00B NTA:07-11-16 14:21:57.000
00D NTA:07-11-16
00U utf8
00X 0
35 $INTA$012233444
370 ##$aNL$tNL HAG$yZH$zThe Hague$2NTA
410 ##$aMadurodam Library$2NTA
671 ##$bLibrary's website$f2016-11-07 14:10:16$gr$ulibrarymadurodam.org$2NTA
710 ##$aLibrary University Madurodam$qAcademic Library$2NTA
950 ##$aPieterszoon, Pieter$iY$TisRelatedTo$2NTA$9459118412$8Pieter Jan
Pieterszoon Professor
951 ##$aUniversity Madurodam$iY$TisUnitOf$2NTA
976 ##$2NTA$aNTA$b2016-11-07 14:20:08$cis_unique is_rich$dbirthyear etc.; external
link etc.$e0$f0
```



- Matching is not supported for this database
- Your login request was rejected.

Before you can search you have to identify yourself.

Make sure you work in the member database 1.3.

Check the URL for the string DB=1.3 when you get the above message. When you see DB=1.1 in the URL, replace it by 1.3 and refresh the URL.

If you are already logged on: log out, check the URL for the string DB=1.3 when you get the above message. When you see DB=1.1 in the URL, replace it by 1.3 and refresh the URL.

...... source code not found in any 028C, 029C.

The above message appears when you try to add your data (source) without a Name.

At least the surname is mandatory.

028C refers to the missing Name of a person (029C the missing name of an organisation).

ISNI field references are in the document 'ISNI Data element values'.

#### **surname** is mandatory

You cannot enter a name with only a forename. Enter pseudonyms in **surname**. Examples: Captain Piet, Angry Johnny, Jo-Johnny.

#### 🛎 ...... mandatory......

When you the click "+" sign to open a repeatable field, the software expects the field to be entered with a value. Click on the minus-sign if you do not want to enter the field after all.

#### Sparse record

Enter at least another field to enter the name or organisation. See annex.

#### Sparse common name

Enter at least another field to enter the name or organisation. See annex.

#### '' may not start with a blank

Remove blank from first position in the field.

Position 1 of ' 1999' in 032A/00 has to be a digit 032A is the reference for Dates (birth and death).

#### Invalid code '...' in Language

Language has to be an ISO-code.

#### The length of 'piano' in **Instrument** has to be 2 characters.

Invalid code ' ' in country Country has to be an ISO-code.

# 7 Related ISNI's

ISNI's with a relation to another ISNI are presented with clickable links. Persons that are related to the ISNI of an organisation are shown with the menu option authority.

In this example, Petterson is related to the La Trobe University Library. Clicking La Trobe University Library presents the record.

shortlist	title data	search history	
results	PPN 4591	118366   <mark>1 hits</mark>	
labels	sources da	ta marc21	
edit rec	ord	ISNI:	0000 0004 5911 8361
authorit	У	Name:	Petterson, Jonathan Alex
save		Name variant:	Petterson, J.A.
		Dates:	born 1954-06-12
		Creation class:	text
		Creation role:	author
		Related names:	Jansen, Gustavo (co-author) La Trobe University Library
		Titles:	Philosphical thoughts on plants
		Contributed to or performed:	Journal for plant lovers
		Notes:	
		Sources:	NTA

Clicking authority results in a set with the all persons linked to the La Trobe University Library:

	y Phrase (APH:) • sort by name •
na: amigo jansen, gu	istavo search less User id: BARE
approximate sear	rch
shortlist title data sea	arch history
results Related entries	PPN 033004064   3 hits
hide hints	📾 1. 3 La Trobe University (Bundoora, Victoria), Library (Library)
save	The Chinese Heritage of Australia Federation Project a joint initiative of La Trobe University and the Chinese Museum, Mel
	University, Shanghai ; supported by the National Council for the Centenary of Federation.
filter	University, Shanghai ; supported by the National Council for the Centenary of Federation.  2. 1 Petterson, Jonathan Alex Philosphical thoughts on plants
filter Type of identity Person (2) Organisation (1)	I 2. 1 Petterson, Jonathan Alex
Type of identity Person (2)	2. 1 Petterson, Jonathan Alex Philosphical thoughts on plants     3. 2 Amigó Jansen, Gustavo (Ir)
<ul> <li>Type of identity</li> <li>Person (2)</li> <li>Organisation (1)</li> </ul>	2. 1 Petterson, Jonathan Alex Philosphical thoughts on plants     3. 2 Amigó Jansen, Gustavo (Ir)

# 8 ANNEX Checks on data and conditions for assignment

When you enter a new record using the WebCat template 'Add an identity' a number of checks and assignment rules apply:

#### View of WebCat functions

Here is the list with available WebCat forms. Please pick the appropriate form for the record you want to create or edit.

Add an identity: organisation

Add an identity: person or fictional character

#### 8.1 Initial Checks on data before Import

Only data that passes initial checks are entered in the database.

#### 8.1.1 Validation

Formal checks:

- Character encoding must be in UNICODE UTF-8.
- Data must pass formal checks (ISO language codes, UNESCO location codes and ISO country codes)
- ISNI-codes for roles, relationship types etc. are valid present in ISNI tables),
- Dates are in ISO format etc.
- URL's have @, no blanks etc.
- The submitted data may not be sparse (a record must at least include a name and some extra information like a birth date and/or a title).

#### 8.1.2 Too Sparse

To pass the sparseness checks all names must include:

✓ a name (personal or organisation)

Personal names must score at least **<u>1 point</u>** from the following list:

- ✓ Birth date (type is "lived": score 1)
- ✓ Death date (type is "lived": score 1)
- ✓ Birth date (type is not "lived" AND date is before 1800: score 1)
- ✓ Death date (type is not "lived" AND date is before 1800: score 1)
- ✓ Publisher (publisher or publishers: score 1)
- ✓ ISBN (ISBN or ISBNs: score 1)
- ✓ Title (title or titles: score 2)
- ✓ Co-author or Organisation affiliation (one: score 1; two or more: score 2)
- ✓ Instrument or Voice (score 2)
- ✓ UsageDateTo (for organisations; score 1)

Note 1: Names in the common surnames list must score two from the list. Currently (December 2016), surnames are common when they have more than 500 hits. Organisations are common if they have more than 50 hits.

Note 2: Incomplete personal names. Names should be as complete as possible where the information is available, i.e. forenames should be included in preference to initials.

Names without forenames or with only forename initials are treated in a similar way to common surnames in sparseness testing.

To pass the sparseness checks organisations must contain:

- ✓ organisation type
- ✓ main name organisation

and score at least <u>1</u> of the following:

- ✓ Date of commencement of name use
- ✓ Date of end of name use
- ✓ Title
- ✓ Affiliated organisation
- ✓ Related person
- ✓ Country (ISO code).

#### 8.1.3 Data pass validation and sparseness checks

If your data (source) does not pass the above checks, no record with your source is entered at all.

If your data (source) pass the validation and sparseness checks, your data is passed on to the ISNI matching and evaluation routines. The outcome depends on the matching and evaluation result:

- No possible matches were found and the data are complete and the name is unambiguous => an ISNI is assigned to your source, see section 8.2;
- Possible match was found, see section 8.3;
- No possible matches were found, but the data are not complete and/or the name is not unambiguous => your source is entered but with status provisional, see 8.4.

An ISNI is assigned to your source when all conditions in section 8.2 are met, or, when your source profile is set to assign your sources provided the names are unique.

#### 8.2 Assignment

When you enter a new record using this WebCat template, and no possible matches have been found, the following assignment rules apply.

#### 8.2.1 Data are complete (rich)

Your data (source) have to complete (rich). Personal names are rich when they meet one of the following sets of conditions:

- they have both a full birth date and a full death date
- have a birth year as well as a related name and a title or instrument
- have a title or instrument as well as a URL link and a related name
- at least one related name with the type "is not".

#### 8.2.2 Name is unique

Names are only assigned when they are unique. Personal names are unique

- if all name variants (surname plus one initial) are unique<sup>1</sup>. Unique names must have at least one full forename.
- all name variants are unique and the record has a LOCODE and an organisation type and an organization URL.

#### 8.2.3 Confident match is found

When you choose to add a new name in ISNI, the software will still check for a confident match before the new name is entered in the database. When a confident match is found, your source will be added to that ISNI.

There is a match with a record already on the database at a sufficient confidence level as determined by the software. The matching process favours

- $\circ$  match on local identifier
- match on name and title
- $\circ~$  match on name and resource identifier  $~\circ~$

match on name and instrument or voice

 match on full name and date, where the name is not on the common surname list

<sup>&</sup>lt;sup>1</sup> For double surnames, name rotation applies. Each rotated name counts as a variant. E.g. Carmen Rosa (forenames) Monzón Delgado (surname) two name variants are checked: "monzon delgado, c" and "delgado, c"

• match on name, and other elements, co-authors, organisation affiliations, publishers

If there are multiple definite matches, the best candidate is chosen and the record is merged with it (best candidate = assigned selected before provisional and suspect; else if there are multiple possible records with the same status, then the record with the highest match score is chosen as the best candidate).

#### 8.3 Possible duplicate for your source

Your source is entered a special flag 'possible duplicate' and will be given a status of provisional. There are four cases of uncertain match

- where the matching score is between the no match threshold and the match threshold
- where the incoming record and the match record have the same data contributor (source) code and the local identifier of the incoming record is different from that on the match record
- where the incoming and match record disagree on birth or death date and the data confidence of both records is the same

#### 8.4 Provisional ISNI for your source

At this point in time (December 2016) you can not get your source assigned if the name is not unique or by adding enough data if the data are not rich. You can add a general note to the record and request the Quality Team to assign status assigned to the source.