

How User Accounts are Associated with Profile Pages

- A user account may have an `externalAuthId`
- `runtime.properties` may contain a value for `selfEditing.idMatchingProperty`
- The profile page may match the `externalAuthId` on the user account

There are three elements in the linkage between a User Account and a Profile page:

- The user account holds the `externalAuthId`
- `runtime.properties` specifies the URI of the matching property
- The profile page must have a property with that URI whose value matches the `externalAuthId`. (The property value is either a String or an untyped literal.)

A user account may have an externalAuthId

- The `externalAuthId` is optional.
- There are several ways to create a `externalAuthId`:
 - If you are using internal authentication – managed within VIVO — then each account must be created by an admin, and the admin may choose to set the `externalAuthId` to a useful value.
 - If you are using external authentication – Shibboleth, or the like – then when a user without an account passes authentication, an account is created auto-magically. The `externalAuthId` is set to the user's Shibboleth ID.
 - Regardless of the type of authentication, you could choose to ingest the information for the user accounts, and create the `externalAuthId` as part of that ingest.
- In any case, the `externalAuthId` can be used to link to the user's profile page.
- This info is stored in the `userAccounts` model.
- You can confirm this by going to the SiteAdmin page, clicking on "Ingest Tools", then "Manage Jena Models", then the button labelled "RDB Models", then the "output model" link under `vitro-kb-userAccounts`. The output should contain statements that look something like this:

```
<http://vivo.mydomain.edu/individual/u8041>  
a <http://vitro.mannlib.cornell.edu/ns/vitro/authorization#UserAccount> ;  
<http://vitro.mannlib.cornell.edu/ns/vitro/authorization#emailAddress>  
"jeb228@cornell.edu"^^xsd:string ;  
<http://vitro.mannlib.cornell.edu/ns/vitro/authorization#externalAuthId>  
"jeb228"^^xsd:string ;
```

- I don't know what would happen to a user with more than one `externalAuthId`. Probably VIVO will arbitrarily choose among them.

`runtime.properties` may contain a value for `selfEditing.idMatchingProperty`

- You can confirm this value by looking in the `vivo.all.log` file in Tomcat logs. Each time VIVO starts up, the first entry written to the log contains all of the properties from `runtime.properties`. It helps to inspect this if you might possibly be reading the wrong `runtime.properties` file.
- At Cornell, ours looks like this:

```
selfEditing.idMatchingProperty = http://vivo.cornell.edu/ns/hr/0.9/hr.owl#netId
```

The profile page may match the `externalAuthId` on the user account

- To associate a profile page with a user account, the Individual must have a data property whose URI is the one from `runtime.properties`, and whose value is equal to the `externalAuthId` of the user account.
- For example, the Individual object that forms the basis for my profile page contains a statement like this:

```
<http://vivo.cornell.edu/individual/JamesBlake>  
  <http://vivo.cornell.edu/ns/hr/0.9/hr.owl#netId>  
    "jeb228"  
  .
```

- You can confirm this by logging in as an admin, navigating to the profile page, clicking on "edit this individual" and then the button labelled "Raw Statements with this Resource as Subject"
- In the example above, the "netId" field is set to an untyped Literal. A String Literal will work also.