2019-10-17- Fedora Tech Meeting

Time/Place

This meeting is a hybrid teleconference and slack chat. Anyone is welcome to join...here's the info:

- Time: 11:00am Eastern Daylight Time US (UTC-4)
- Audio/Video Conference Link: https://lyrasis.zoom.us/my/fedora
 - Dial-in:+1 408 638 0968+1 646 876 9923
 - +1 669 900 6833 Meeting ID: 812 835 3771
- Join fedora-project.slack.com on the "tech" channel

Attendees

Part 1:

- 1. Danny Bernstein
- 2. Peter Winckles
- 3. Jared Whiklo
- 4. Bethany Seeger
- 5. Thomas Bernhart
- 6. Aaron Birkland
- 7. Andrew Woods
- 8. Ben Pennell 🜟
- 9. Ben Cail
- 10. David Wilcox
- 11. Peter Eichman

Agenda

- 1. Announcements
 - a. Sprint 2
 - o. ?
- 2. See if we can get a unified vision for how we want Fedora to interact with OCFL, so that we can propose one of the following to the leadership group:
 - a. Recommend pushing for changes to the OCFL spec (i.e. a mutable head), so that both versioned and un-versioned content can be "in"
 - b. Accept the immutability of object versions in OCFL, and recommend one of the following
 - i. Fedora shall store un-versioned content outside of OCFL in a fedora-specific layout
 - ii. Fedora shall disallow un-versioned content entirely
 - Recommend Fedora use something other than OCFL for Fedora's persistence layer, and create external tools for exporting/publishing to OCFL when desired.
- 3. This document describes the core issues and outlines the pros and cons of the implementation possibilities described in the preceding agenda item. Recommending a particular implementation is beyond the scope of the document; it simply seeks to provide an objective (to the degree possible) analysis to serve as a baseline for an informed discussion. Comments and suggestions are welcome, but please respect the scope of the document.
- 4. Other questions to be answered
 - a. > "When making a request during a transaction, should the ACL of the HEAD version of the resource be evaluated, or the ACL of the version of the resource that exists in the transaction?"
 - i. Related to https://github.com/fcrepo4/fcrepo4/pull/1559
 - ii. from Decisions and Open Questions
 - b. What is the approach we want to take for adding digests to external binaries?
 - i. Reference: 2019-09-26 Fedora Tech Meeting (Notes: 3.a.)
 - c. What do we want our approach to be for loading Fedora6 resources? lazy or eager?
 - i. Related to https://github.com/fcrepo4/fcrepo4/pull/1557
- <add topics here>

Tickets

1. In Review

Unable to locate Jira server for this macro. It may be due to Application Link configuration.

2. Please squash a bug!

summary created updated assignee priority status resolution type

Unable to locate Jira server for this macro. It may be due to Application Link configuration.

3. Tickets resolved this week:

key summary type created updated due assignee reporter priority status resolution

Unable to locate Jira server for this macro. It may be due to Application Link configuration.

4. Tickets created this week:

updated resolution key summary type created due assignee reporter priority status

Unable to locate Jira server for this macro. It may be due to Application Link configuration.

Notes

1. Announcements

- Islandoracon was great, there was a fedora special interest group that met during lunch and did fedora presentations
 - Bento boxes and preservation. Drupal 8
 - Can pop in and out components like Fedora. For some, its considered "in" the repository once it is in fedora.
 - A lot of people looking forward to Fedora 6
 - Workshop to get people to migrate to Islandora 8, which required moving from F3 to F5 went well.
- Sprint 2 It would be helpful to try to decide some of the Open Questions before the next sprint Decisions and Open Questions
- 2. Uniform vision for how Fedora should interact with OCFL
 - Jared it does not make sense to store fedora objs in two different places. It puts a burden on Fedora for the sake of OCFL
 - he likes OCFL, but wants a transparent file layout from the application perspective.
 - Fedora deals with so many in motion objects, it may not be worthwhile
 - Andrew historically users have not differentiated between in-motion and preserved

 - Bethany could there be multiple clients operating on the OCFL?

 Andrew we should be very clear that only multiple read clients
 - · Is option A a change to the spec?
 - That is what Andrew as thinking, that there would be a HEAD version in the spec
 - As compared to rewriting the most recent version
 - · There are four options, as outlined in the agenda subpoints and the document
 - Jared: A => C (falling back to C if A fails)
 - BenP: A => C or B1
 - Bethany: A => B2 => C
 - AaronB: A => B2 => C
 - BenC: A => B1 with encouragement to users to version or B2 (doesn't like C)
 - PeterW: A (cleanest but seems unlikely) => C
 - Thomas: A => C

- DannyL: C (unless vociferously opposed by leaders) => A
- AndrewH: Doesn't feel like he can voice an opinion about what fedora should do
- AndrewW: A (wants fedora to be as close to OCFL as possible)
- · PeterW Another option is to serialize to non-OCFL and periodically push to OCFL
 - Jared similar to B1 in that there are two places where content is stored
- · Andrew Not clear that having a mutable head directory would take away from the value of the version directories
- · Aaron A is somewhat out of our control, since it depends on the OCFL editors. It is not so much a technical issue.
- David was suggesting that we might just do A even if it wasn't in the spec
 - PeterW Fine if you don't care about validation, but the bigger issue might be that the inventory would be referencing content that isn't allowed, so the object might not be readable.
 - Assuming that the root inventory file would point to HEAD as the current version
 - Aaron since the version inventories are the canonical inventories, then might not even need to add anything to the root inventory.
- **RECOMMENDATION**: Option 'A', if supported by the OCFL specification

4. Other questions to be answered

- a. "When making a request during a transaction, should the ACL of the HEAD version of the resource be evaluated, or the ACL of the version of
 the resource that exists in the transaction?"
 - o Jared it would require two actions, first updating ACL and then starting transaction and doing work
 - BenP it seems like a special behavior to only work against the HEAD of the ACL versus everything else in the repo
 - o DECISION: Treat ACL's as normal, so use the version in the transaction unless this causes significant technical issues
- b. What is the approach we want to take for adding digests to external binaries?
 - We talked about this some on Sept 26, Andrew remembers that we wanted fedora to retain fixity for internal binaries. For external, users
 can add their own. For internal, users can't override the internal digest.
 - o Fedora has its own internally managed checksum for internal content
 - Users can add digests to external content
 - Should fedora try to fill in a checksum if none is provided?
 - O Jared spec says that ext's must respond to want-digest. So do we need to store it internally? How do we fulfill
 - O DECISION:
 - Fedora to retain fixity for internal binaries
 - For internal, users can't override the internal digest, but can add supplemental digests
 - For external, users can add their own

Actions

- Aaron Birkland to look explore notion of OCFL client with database as authoritative metadata source + asynchronous writing of the inventory.json file
- David Wilcox will review the NDSA matrix and pull out the concrete technical requirements that could be considered during the Fedora 6
 development.