

Change single page layout (JSP)

```
<?xml version="1.0" encoding="utf-8"?>
<html>
```

Files:

- Any JSP in [dspace-source/jsp/local/](#)

Instructions:

- Find the following JSP Tag near the top of the JSP:

```
<tdspace:layout ... >
```

- Pass this tag any of the following "attributes", to customize the layout of this JSP:

- `style`

- specifies the "style" of header/footer to display for this JSP

- (e.g.)

```
style="myStyle"
```

means the header-myStyle.jsp and footer-myStyle.jsp will be used for this JSP.

- `if`

```
style
```

is unspecified, header-default.jsp and footer-default.jsp are used.

- `navbar`

- specifies the navigation bar to use for this JSP</p>

- (e.g.)

```
navbar="myNavigation"
```

means the navbar-myNavigation.jsp will be used for this JSP

- `navbar="off"`

turns off the navigation bar on a page.

- `if`

```
navbar
```

is unspecified, navbar-default.jsp is used.

- `locbar`

- specifies type of location bar to use. There are only a few values of real importance:</p>

- `locbar="off"`

- turns off the location bar on this JSP.

- `locbar="noLink"`

- do not provide links in location bar.

- `locbar="commLink"`

- attempt to provide all parent communities within the location bar.
- If

locbar

- is unspecified, all parent communities/collections are displayed as links in the location bar.
3. Perform the steps in [Rebuild+DSpace](#).

</html>