

How To Guides

For JSPUI specific How-To Guides see [JSPUI How To Guides](#). For XMLUI (Manakin) specific How-To Guides see [XMLUI How To Guides](#)

If you add your own How-To Guides to this wiki, please add the appropriate labels to let them appear in this listing. Here's a quick reference to the labels to use!

- 'howto' - page will appear in this general "How To Guides" listing
- 'jsphowto' - page will also appear in the [JSPUI How To Guides](#)
- 'manakinhowto' - page will also appear in the [XMLUI How To Guides](#)

How To Guides (Alphabetically)

- [Add a custom metadata schema](#)
 - [howto](#)
- [Add a new format to the bitstream registry](#)
 - [howto](#)
- [Add a new metadata field](#)
 - [howto](#)
- [Add expanding and collapsing interface to community-list hierarchy \(Manakin\)](#)
 - [manakinhowto](#)
 - [howto](#)
- [Add extra letters in Browse pages \(Manakin\)](#)
 - [manakinhowto](#)
 - [howto](#)
- [Add HTML5 pseudo streaming \(Manakin\)](#)
 - [manakinhowto](#)
 - [howto](#)
- [Add logos to an items display \(Manakin\)](#)
 - [manakinhowto](#)
 - [howto](#)
- [Add new text to a JSP \(JSP\)](#)
 - [jsphowto](#)
 - [howto](#)
- [Add Nivo JQuery slideshow \(Manakin\)](#)
 - [manakinhowto](#)
 - [howto](#)
- [Add text to a page \(i18n\) \(Manakin\)](#)
 - [manakinhowto](#)
 - [howto](#)
 - [internationalisation](#)
- [Alter submission input forms](#)
 - [howto](#)
- [Backup/Restore](#)
 - [howto](#)
- [Call Java methods from XSLT \(Manakin\)](#)
 - [manakinhowto](#)
 - [howto](#)
- [Change a form value](#)
 - [howto](#)
- [Change browse layout \(JSP\)](#)
 - [jsphowto](#)
 - [howto](#)
- [Change displayed item metadata \(JSP\)](#)
 - [jsphowto](#)
 - [howto](#)
- [Change overall layout \(JSP\)](#)
 - [jsphowto](#)
 - [howto](#)
- [Change page text \(JSP\)](#)
 - [jsphowto](#)
 - [howto](#)
- [Change single page layout \(JSP\)](#)
 - [jsphowto](#)
 - [howto](#)
- [Change the way the collection list is displayed in submit link \(Manakin\)](#)
 - [manakinhowto](#)
 - [howto](#)
- [Clustering](#)
 - [howto](#)
- [Configure checksum checker](#)
 - [howto](#)
- [Configure full text indexing](#)
 - [howto](#)
- [Configure RSS feeds](#)
 - [jsphowto](#)
- [Configuring DSpace and Shibboleth](#)
 - [howto](#)

- [Create a new aspect \(Manakin\)](#)
 - [manakinhowto](#)
 - [howto](#)
- [Create a new theme \(Manakin\)](#)
 - [manakinhowto](#)
 - [howto](#)
- [Creating and Applying Patches in Eclipse](#)
 - [howto](#)
- [Customize header or footer \(Manakin\)](#)
 - [manakinhowto](#)
 - [howto](#)
- [Document Preview with Google Docs viewer](#)
 - [jspuihowto](#)
 - [howto](#)
 - [manakinhowto](#)
- [DSpace 1.5 XMLUI FLV Video Progressive Download](#)
 - [manakinhowto](#)
 - [howto](#)
- [DSpace How-To Guide Introduction](#)
 - [howto](#)
- [DSpace with Oracle DB test instance](#)
 - [installation](#)
 - [howto](#)
 - [oracle](#)
- [Embargo on Bitstream v2 \(JSP\)](#)
 - [howto](#)
- [Fix ???some.key.name??? \(JSP\)](#)
 - [troubleshooting](#)
 - [jsphowto](#)
 - [howto](#)
- [Fix Common Item Import Errors](#)
 - [troubleshooting](#)
 - [howto](#)
- [Handle Server Setup as Windows Service \(using Tanuki\)](#)
 - [howto](#)
- [How to add additional fields and values to Solr discovery index](#)
 - [howto](#)
- [HowToPerformanceTuneForDspace](#)
 - [performance](#)
 - [howto](#)
 - [outofmemory](#)
 - [dspace](#)
 - [postgres](#)
 - [tomcat](#)
- [IDE Integration - DSpace and IDEA](#)
 - [contribution](#)
 - [developing](#)
 - [howto](#)
- [IDE Integration - DSpace and NetBeans](#)
 - [contribution](#)
 - [developing](#)
 - [howto](#)
- [IDE Integration - DSpace, Eclipse and Tomcat](#)
 - [howto](#)
- [IDE Integration - DSpace, Eclipse and Tomcat Video Tutorial](#)
 - [howto](#)
 - [obsolete](#)
 - [needsupdate](#)
- [Install a theme \(Manakin\)](#)
 - [manakinhowto](#)
 - [howto](#)
- [Install an Aspect \(Manakin\)](#)
 - [manakinhowto](#)
 - [howto](#)
- [Installation Guides](#)
 - [installation](#)
 - [howto](#)
 - [tips](#)
 - [hints](#)
- [Installing DSpace 1.6 on Red Hat Enterprise Linux 5](#)
 - [installation](#)
 - [rhel](#)
 - [howto](#)
- [Installing DSpace on Mandriva](#)
 - [howto](#)
 - [mandriva](#)
- [Installing DSpace on Windows](#)
 - [installation](#)
 - [howto](#)

- [LDAP Hierarchical Authentication with Active Directory](#)
 - [howto](#)
- [Make author and subject links clickable \(Manakin\)](#)
 - [manakinhowto](#)
 - [howto](#)
- [Manakin theme tutorial](#)
 - [manakinhowto](#)
 - [howto](#)
 - [needsupdate](#)
- [Manakin Themes](#)
 - [manakinhowto](#)
 - [needsupdate](#)
- [Manakin Themes and Recipes](#)
 - [manakinhowto](#)
 - [howto](#)
- [Modify browse fields \(JSP\)](#)
 - [howto](#)
- [Modify default search options](#)
 - [howto](#)
- [Modify item metadata display \(Manakin\)](#)
 - [manakinhowto](#)
 - [howto](#)
- [Modify search fields](#)
 - [howto](#)
- [ModJk](#)
 - [howto](#)
- [Move a metadata field](#)
 - [howto](#)
- [NginX Tomcat Proxying](#)
 - [howto](#)
- [PopulateMetadataFromPubMed](#)
 - [howto](#)
- [Re-index DSpace](#)
 - [howto](#)
- [Rebuild DSpace](#)
 - [jsphowto](#)
 - [manakinhowto](#)
 - [howto](#)
- [Remove Scrollbar](#)
 - [dspace15x](#)
 - [dspace14x](#)
 - [jsphowto](#)
 - [howto](#)
- [Rendering line breaks in item metadata \(Manakin\)](#)
 - [manakinhowto](#)
- [Set Maven Web Proxy Server Settings](#)
 - [howto](#)
- [Solr statistics migration after AIP export/import](#)
 - [howto](#)
- [TechnicalFAQ](#)
 - [howto](#)
 - [needsupdate](#)
- [Tracking your source code with Git](#)
 - [howto](#)
- [Upgrade Postgres for a DSpace installation](#)
 - [howto](#)
- [Use controlled vocabularies \(JSP\)](#)
 - [jsphowto](#)
 - [howto](#)
- [Use DSpace Statistics \(JSP\)](#)
 - [jsphowto](#)
 - [howto](#)
 - [obsolete](#)
 - [statistics](#)
- [Use non dc metadata in the item importer](#)
 - [howto](#)
- [Use the OAI-PMH interface](#)
 - [howto](#)