

Elastic Search Usage Statistics

Added in DSpace 3.0 is an optional statistics engine using [Elastic Search](#), which may be enabled as an alternative to the default [DSpace Statistics](#) engine (based on [Apache SOLR](#)). The motivation for adding Elastic Search was to find an alternative statistics processing engine that would handle the workload of a large amount of statistics data. Additionally, the Elastic Search statistics display offers another method for creating statistical queries against your data. Elastic Search Usage Statistics has been contributed by Peter Dietz of Ohio State University's Knowledge Bank. The data source for Elastic Search Statistics is DSpace Usage Events, where Usage Event is a view or download of a DSpace Object (Bitstream, Item Page, Collection Page, Community Page). Elastic Search Statistics is bundled with DSpace, and requires no additional installation of software, it just needs to be enabled. Elastic Search is only available for use with XMLUI.

What data is being recorded?

The default information below is what DSpace will record about a Usage Event. In DSpace 3.0 the fields of data collected is not configurable through a configuration setting.

Information about the User Requesting the Content

- IP Address
- Time of Request
- DNS / Hostname
- User Agent
- isBot, a flag that DSpace thinks that user is a robot or not
- Geographical Information about where the user is located:
 - Continent
 - Country
 - Country Code
 - City
 - Geographical Latitude/Longitude

Information about the DSpace Resource that was used

- DSpace Object ID
- DSpace Object Type: (Item, Bitstream, Collection, or Community)
- If it is relevant, we also store the hierarchy of where this object exists within DSpace
 - Owning Community
 - Owning Collection
 - Owning Item

Enabling Elastic Search Statistics

Elastic Search Statistics is disabled by default in DSpace 3.0, the following steps will enable Elastic Search so that you can collect data, and present statistics reports.

Modify dspace/config/xmlui.xconf, and uncomment the aspect, Statistics Elastic Search.

Enable Elastic Search Statistics in dspace/config/xmlui.xconf

```
<!--
    If you prefer to use "Elastic Search" Statistics, you can uncomment the below
    aspect and COMMENT OUT the default "Statistics" aspect above.
    You must also enable the ElasticSearchLoggerEventListener.
-->
<!-- <aspect name="Statistics - Elastic Search" path="resource://aspects/StatisticsElasticSearch/" /> --
>
```

Modify dspace-xmlui/src/main/webapp/WEB-INF/spring/applicationContext.xml and uncomment the following code block for ElasticSearchLoggerEventListener

Enable ElasticSearchLoggerEventListener

```
<!-- Elastic Search -->
<!--<bean class="org.dspace.statistics.ElasticSearchLoggerEventListener">
    <property name="eventService">
        <ref bean="dspace.eventService" />
    </property>
</bean-->
```

After making these two changes, you will then need to rebuild and restart DSpace.

Importing Legacy Data into Elastic Search Statistics

Once Elastic Search Statistics has been enabled, it will begin adding all new Usage Events to its data store. To import your legacy data, you will need to import the data from the dspace.log files. There is no tool yet that converts SOLR statistics data to Elastic Search statistics data.

From the (Windows / Linux) terminal, you will need to use the DSpace Command Launcher to convert the dspace.log files to a statistics log format. Then you will need to import the statistics log format files into DSpace Statistics.

The Log Converter program converts log files from dspace.log into an intermediate format that can be inserted into Elastic Search Statistics.

Command used:	[dspace]/bin/dspace stats-log-converter
Java class:	org.dspace.statistics.util.ClassicDSpaceLogConverter
Arguments short and long forms):	Description
-i or --in	Input file
-o or --out	Output file
-m or --multiple	Adds a wildcard at the end of input and output, so it would mean if -i dspace.log -m was specified, dspace.log* would be converted. (i.e. all of the following: <i>dspace.log</i> , <i>dspace.log.1</i> , <i>dspace.log.2</i> , <i>dspace.log.3</i> , etc.)
-n or --newformat	If the log files have been created with DSpace 1.6 or newer
-v or --verbose	Display verbose output (helpful for debugging)
-h or --help	Help

An example form of this command would be [dspace]/bin/dspace stats-log-converter -i dspace.log -o statistics.log -m -n

The Log Importer program takes the intermediate format data produced in the previous step, and imports it into Elastic Search Statistics.

Command used:	[dspace]/bin/dspace stats-log-importer-elasticsearch
Java class:	org.dspace.statistics.util.StatisticsImporterElasticSearch
Arguments short and long forms):	Description
-i or --in	Input file

-m or --multiple	Adds a wildcard at the end of input and output, so it would mean if <code>-i statistics.log -m</code> was specified, <code>statistics.log*</code> would be imported. (i.e. all of the following: <i>statistics.log</i> , <i>statistics.log.1</i> , <i>statistics.log.2</i> , <i>statistics.log.3</i> , etc.)
-s or --skipdns	To skip the reverse DNS lookups that work out where a user is from. (The DNS lookup finds the information about the host from its IP address, such as geographical location, etc. This can be slow, and wouldn't work on a server not connected to the internet.)
-v or --verbose	Display verbose output (helpful for debugging)
-h or --help	Help

An example form of this command would be `[dspace]/bin/dspace stats-log-importer-elasticsearch -i statistics.log -m`

Viewing Data in Elastic Search Statistics

In XMLUI, while logged in as an administrator, the Context Panel will have an additional "View Statistics" link when you browse to a Community, Collection, or Item.

The Statistics Report includes:

- Bitstreams with Most Downloads, for all time.
- Bitstreams with Most Downloads, previous month.
- Total Number of Downloads to Bitstreams within this container, broken down by month.
- Number of hits per Country

This data is presented as either a Table or Line Graph, and requires JavaScript to draw the graphics.