


Setting up Autocomplete

After installing the module, and ensuring that you have given your user the administer islandora autocomplete permissions under /admin/user/permissions, navigate to **Autocomplete URL's** (under "Content Management" section of administration, or /admin/content/autocomplete). Here you will see a list of the Autocomplete urls currently in use on your site. The "URL" is what you will have to enter into the target Islandora form field (by editing it in the form builder).



Home > Administer > Content management					
Autocomplete URL's					
List Add Autocomplete URL					
Below is a list of all the autocomplete url's on your site.					
Name	URL	Description	Source	#Fields	Operations
autocomplete/tester	autocomplete/autocomplete/tester	Testing the Autocomplete module	csv	1	view edit delete
names	autocomplete/names	A fake list of names for Autocomplete.	csv	1	view edit delete

New autocomplete urls can be added under the tab **Add Autocomplete URL**, where you can specify:

1. The machine-readable name of your new list of terms.
2. A brief description.
3. How many fields are being defined by the CSV.
4. The source type for the new list of terms. Unless the Autocomplete Solr module is enabled, only CSV will be available as an option.

Home > Administer > Content management > Autocomplete URL's

Autocomplete URL's

[List](#) [Add Autocomplete URL](#)

Name: *

The machine-readable name of this autocomplete url. This text will be used for constructing the URL of #autocomplete_path. This name must contain only lowercase letters, numbers, and underscores. This name must be unique.

Description: *

A brief description of this content type.

Fields:

The number of fields this url will return, there should be the same number of fields in the form to receive the values.

Source:

This is the source from which the autocomplete url will be populated.

CSV upload:

Upload a valid CSV file where each line has two values enclose in "quotes" and separated by a comma. The first will be used as the value and the second is the will be used as the label present to the user.

[Cancel](#)

When generating a CSV for Autocomplete:

- Label is what you type in, Value is what gets entered into the field.

- CSV structure is value, label, value, label. For instance, if generating the file in an Excel type program, values for a single field would be formatted by putting the Value in the first column and the Label in the second.
- You can specify more than one field.

For more advanced users, there is a formatting language for determining how items in the CSV appear. Please see inline documentation for more details.