## **APPENDIX C - Datastream Reference**

Data strea m ID (DSI D)	Found in:	Comments
ISLA NDO RAC M	Content Model Object (required for Islandora)	
REL S- EXT	All Objects (required)	"Relationships-External." This Datastream contains digital object relationship information.
CHI LD_ SEC URI TY	Collection Object (optional)	This Datastream is an XACML that is inherited by every object ingested into the collection.
POLI CY	Any digital object can contain a POLICY datastream. (optional)	This Datastream is an XACML policy that describes who can view/edit/delete a collection, object, or datastream.
DC	All Objects (required)	

COL LEC TIO N_V IEW	Collection Object	An XSLT that is ran on the collection query result to transform it into HTML. Default: xsl/sparql_to_html.xsl
COL LEC TIO N_P OLI CY	Collection Object	The COLLECTION_POLICY Datastream specifies which content models are associated with a particular collection object, the relationship that child objects ingested into this collection will have with the collection object.
QUE RY	Collection Object	Default: CollectionClass.inc
OBJ	Objects created with the Audio Solution pack, and the PDF Solution Pack	Stores the binary
TN	Objects created with the Audio Solution pack	Thumnail
OBJ _EXI FTO OL	Objects created with the Audio Solution pack	Stores technical data stripped on ingest using Exif tool
PRO XY_ MP3	Objects created with the Audio Solution pack	Provides a derivative web-suitable file for download and display.

FUL L_SI ZE	Objects created with the Basic Image Solution Pack	Stores the main binary
MED IUM _SIZ E	Objects created with the Basic Image Solution Pack	Provides a derivative web-suitable file for display.
MO DS	All objects	Datastream holding MODS Metadata
JP2	Book Solution Pack, Large Image Solution Pack	Web-viewable JPEG2000 image
TIFF	Book Solution Pack, Large Image Solution Pack	Original binary .tiff file
OCR	Book Solution Pack	OCR text stream