Performance evaluation on the SCC Cluster

The following numbers were gathered on the SCC Cluster in Karlsruhe: http://www.scc.kit.edu/en/index.php

Caveat: At the creation of the benchmarks there were a lot of VMs running on those 14 hosts (62) which have of course an impact on the performance of Fedora 4 since all machines share the I/O channels of one host. The hosts are connected via a 1GB/s network, and I think the two virtual partitions per VM are also mounted via this network. I am currently in contact with the folks at SCC to maybe get esxclusive access to a couple of physical nodes, so that other VMs do not slow down Fedora 4 performance.

When comparing D and E (with and without indexing), there should be an increase in performance, when turning indexing off. Since this is not the case I'm guessing that the I/O bottleneck is hit even earlier (replication over the network?) so that indexing does not slow down the ingest process at all.

Node network I/O performance

The physical hosts have a 1gb/s network connection but I measured the network performance to be ~ 10MB/s when pushing one file from one VM to another VM over the network. This is probably due to the fact that multiple VMs share the I/O channel of one physical host

Node hdd performance

ubuntu@ ubuntu:/data$ sync;time sudo bash -c "(dd if=/dev/zero of=bf bs=8k count=500000; sync)"

500000+0 records in
500000+0 records out
4096000000 bytes (4.1 GB) copied, 105.135 s, 39.0 MB/s

real 2m34.033s
user 0m0.060s
sys 0m5.590s

CPU

Following is the output of 'cat /proc/cpuinfo' on one VM

vendor_id : GenuineIntel
cpu family : 6
model : 6
model name : QEMU Virtual CPU version 0.9.1
stepping : 3
cpu MHz : 2266.804
cache size : 32 KB
fpu : yes
fpu_exception : yes
cpuid level : 4
wp : yes
flags : fpu de pse tsc msr pae mce cx8 apic sep mtrr pge mca cmov pse36 clflush mmx fxsr sse sse2 syscall nx lm rep_good nopl pni hypervisor
bogomips : 4533.60
clflush size : 64
cache_alignment : 64
address sizes : 40 bits physical, 48 bits virtual
power management:

processor : 1
vendor_id : GenuineIntel
cpu family : 6
model : 6
model name : QEMU Virtual CPU version 0.9.1
stepping : 3
cpu MHz : 2266.804
cache size : 32 KB
fpu : yes
fpu_exception : yes
cpuid level : 4
wp : yes
flags : fpu de pse tsc msr pae mce cx8 apic sep mtrr pge mca cmov pse36 clflush mmx fxsr sse sse2 syscall nx lm rep_good nopl pni hypervisor
bogomips : 4533.60
clflush size : 64
cache_alignment : 64
address sizes : 40 bits physical, 48 bits virtual
power management:

Load balancing

Load balancing is done by using an apache server with mod_jk enabled on a dedicated VM and a `jk_workers.properties` file which has the individual nodes configured as mod_jk workers. This results in a simple round-robin load balancing mechanism.

The `jk_workers.properties` file is currently being generated via a shell script:

https://github.com/futures/scc-cluster-install/blob/master/fedora-node.sh#L44

Example:

To balance between 7 nodes the `jk_workers.properties` file could look like this:

https://gist.github.com/fasseg/7138008

# Results

Test Utility

BenchTool: https://github.com/futures/benchtool

A. Ingest bench using fcrepo3
Created 100 objects with one datastream of 50mb size

Size: 100 * 52428800 bytes = 5gb
Duration: 389034 ms
Throughput: 12.85 mb/s

**B. Ingest bench using single node fcrepo4 with single thread and clustered config**
Created 100 objects with one datastream of 50mb size

Size: 100 * 52428800 bytes = 5gb
Duration: 2310171 ms
Throughput: 2.1 mb/s

**C. Ingest bench using single node fcrepo4 with single thread and minimal config**
Created 100 objects with one datastream of 50mb size

Size: 100 * 52428800 bytes = 5gb
Duration: 281301 ms
Throughput: 17.77 mb/s

D. Ingest bench using seven nodes fcrepo4 with seven threads and clustered config
Created 100 objects with one datastream of 50mb size

Size: 100 * 52428800 bytes = 5gb
Duration: 676016 ms
Throughput: 7.4 mb/s

Infinispan configuration

Repository configuration

JGroups configuration

E. Ingest bench using seven nodes fcrepo4 with seven threads and clustered config, no indexing
Created 100 objects with one datastream of 50mb size

Size: 100 * 52428800 bytes = 5gb
Duration: 673589 ms
Throughput: 7.4 mb/s

Infinispan configuration

Repository configuration

JGroups configuration

F. Ingest bench using seven nodes fcrepo4 with eleven threads and clustered config, no indexing
Created 100 objects with one datastream of 50mb size

Size: 100 * 52428800 bytes = 5gb
Duration: 628219 ms
Throughput: 8.0 mb/s