

Principal Providers

- [PrincipalProvider](#)
 - [Container Roles Principal Provider](#)
 - [HTTP Header Principal Provider](#)
- [Implementation Details](#)

Fedora Principal Providers allow a Fedora repository to pull in user security and role designations from other sources (e.g. LDAP). Providers are consulted after the initial container authentication but before finer-grained authentication (such as role resolution) is applied.

The repository configuration file (repository.json) contains the class name of an authentication provider (under "providers") as well as the roles to be used when starting the provider module. By default, the [org.fcrepo.auth.common.BypassSecurityServletAuthenticationProvider](#) exists in the configuration file, as it doesn't rely on an external PrincipalProvider and offers the simplest authentication model (the module always gives access privileges to the session).

Different derivatives of the PrincipalProvider class can be initialized differently, either through the repository.json file, other credential files, from information sent via HTTP header or by connecting to external information sources such as LDAP.

PrincipalProvider

The interface that custom providers must implement. Several providers exist in the codebase.

A principal provider must be configured in repo.xml. The following examples shows configuration for a PrincipalProvider class ContainerRolesPrincipalProvider.

repo.xml

```
<bean name="containerRolesPrincipalProvider" class="org.fcrepo.auth.common.ContainerRolesPrincipalProvider"
      p:roleNames="my-new-tomcat-role"/>
<bean name="authenticationProvider" class="org.fcrepo.auth.common.ServletContainerAuthenticationProvider"
      p:fad-ref="fad" p:principalProviders-ref="containerRolesPrincipalProvider"/>
```

Container Roles Principal Provider

ContainerRolesPrincipalProvider is a PrincipalProvider that obtains its set of principals from web.xml.

New roles must be specified in web.xml as shown below. The default role is fedoraUser.

web.xml

```
<auth-constraint>
  <role-name>fedoraUser</role-name>
  <role-name>fedoraAdmin</role-name>
  <role-name>my-new-tomcat-role</role-name>
</auth-constraint>
```

Please refer to the [servlet container authentication document](#) for further configuration details.

HTTP Header Principal Provider

HttpHeaderPrincipalProvider is a Principal Provider that obtains its initial set of principals from HTTP header requests.

repo.xml

```
<!-- Optional PrincipalProvider that will inspect the request header, "some-header", for user role values -->
<bean name="headerProvider" class="org.fcrepo.auth.common.HttpHeaderPrincipalProvider">
  <property name="headerName" value="some-header"/>
  <property name="separator" value=","/>
</bean>
<bean name="authenticationProvider" class="org.fcrepo.auth.common.
ServletContainerAuthenticationProvider"
      p:fad-ref="fad" p:principalProviders-ref="headerProvider"/>
```

Implementation Details

The Fedora class [org.fcrepo.auth.common.ServletContainerAuthenticationProvider](#) contains a list of `PrincipalProvider` derivative instances that are called for every authentication query. The union of the authentication traits of the `PrincipalProvider` instances will be assigned to the `FEDORA_ALL_PRINCIPALS` session attribute. In the case that the user is has the `fedoraAdmin` role, a `FedoraAdminSecurityContext` is provided as the users `SecurityContext`. If the user does not have the `fedoraAdmin` role, an `ExecutionContext` is provided as the users `SecurityContext`.