

Archidora

Introduction

Archidora is the Archivemata-Islandora Integration Module. Archivemata provides a preservation system that the Archidora module integrates into Islandora.

It was developed in a partnership between [Artefactual Systems](#) and [Discovery Garden](#), sponsored by the [University of Saskatchewan Library](#).

About Archivemata

Archivemata is a free and open-source digital preservation system that is designed to maintain standards-based, long-term access to collections of digital objects. It uses a [micro-services](#) design pattern to provide an integrated suite of software tools that allows users to process digital objects from ingest to access in compliance with the ISO-OAIS functional model. Users monitor and control the micro-services via a web-based dashboard. Archivemata uses METS, PREMIS (events, agents, rights and restrictions), Dublin Core, the Library of Congress BagIt specification and other best practice standards and practices to provide **trustworthy, authentic, reliable, and interoperable** archival packages (AIPs) for storage in your preferred repository.

Archivemata provides several decision points that give the user control over choices about format identification tools, printing the original order of the directories ingested, examining contents for private and personal information, extracting contents of packages and forensic images, transcribing content, and more. Users may also preconfigure most of these options for seamless ingest to archival storage and access. Archivemata offers many ingest workflows: metadata and submission documentation import, zipped and unzipped Bag ingest, digital forensic image processing, SIP arrangement, manual normalization, and dataset management.

You may read more about Archivemata [here](#).

About Archidora

You may read more about Archidora on [this presentation from Justin Simpson, Artefactual](#) at the iCamp BC - February 16 - 18, 2015

Download

Islandora module: <https://github.com/Islandora-Labs/archidora>

Archivemata: Archivemata 1.4 and Storage Service 0.7 or later is required; download from <http://www.archivemata.org>.

This integration is currently (as of 1.4/0.7 release) considered a beta feature.

Installation

Installation and testing is similar to any Drupal module. Please see [Installing the Islandora Enhancement Modules](#) for details.

Configuration

In the Archivemata Storage Space:

- Create a Space with access protocol FEDORA via SWORD2; and create a Location within that Space (purpose = FEDORA deposits). The Fedora URL, username and password will need to be entered here. See [Archivemata documentation](#) for more details.

In Islandora - configure Archidora, at `admin/islandora/archidora`

- Archivemata Storage Service Base URL - normally <http://archivemata-url:8000>
- Deposit Location - will be configured automatically once storage service URL is entered
- Archivemata User - Archivemata dashboard user to be used for Islandora integration (not storage service)
- Archivemata API Key - API key for the Archivemata dashboard user listed above
- EM-IRI Solr field - used for constructing Sword API call (default is "RELS_EXT_edit_media_uri_ms")
- AIP max age - new objects will not be added to a deposit after the specified time has elapsed
- AIP max size - new objects will not be added to a deposit after the specified size has been reached. Note that this is really the transfer size; the AIP could be larger due to normalized objects
- Cron time - the amount of time for which the queue of items will be allowed to process, at each cron invocation. Setting a higher time is recommended if compound objects are being ingested (especially manually), otherwise the relationships may not be included in the METS file sent to Archivemata

Archivemata may also be configured to call back to Islandora to delete the high-res "OBJ" datastreams. This is done in the Storage Service - Administration | Service callbacks

- URI: `http://islandora-base-url/islandora/object/<source_id>/archidora/{Islandora API}/delete`
 - where the API key is the "Islandora Archivemata integration API key" listed/generated on the Archidora admin screen
- Event: post-store
- Method: post
- Expected status: 200

Note: the OBJ datastreams are not deleted automatically, but rather are listed at the collection level (or compound object level) on the Manage | Archivemata tab. They can be deleted individually or in bulk.

Cron must be enabled.

As a side-effect of using [Cron Queues](#), the submission of objects to Archivematica may not complete during any one invocation of Cron.

Collection-level configuration:

Check off "Don't Archive Children" to stop objects from being sent to Archivematica for a particular collection.