

Quick Start

This document is a guide to getting up and running with Fedora as quickly as possible.

Out of the box

If you are looking for scripted deployments, please take a look at Fedora's [deployment tooling](#).

System Requirements

- Java 8

```
java -version
java version "1.8.0_05"
Java(TM) SE Runtime Environment (build 1.8.0_05-b13)
Java HotSpot(TM) 64-Bit Server VM (build 25.5-b02, mixed mode)
```

- Servlet 3.0 container such as:
 - [Tomcat 7](#) or later
 - [Jetty 9.x](#) or later

Installation

There are two primary ways of deploying Fedora 4. The first, One-Click Run, is an easy way to get Fedora 4 running to test out the basic features. The second, [Servlet Container Install](#), is the approach to be used in production installations.

One-Click Run

1. Download the latest executable webapp "one-click-run" from [downloads](#)
2. Either double-click on the download, or run the following command to start Fedora 4

```
java -jar fcrepo-webapp-<version>-jetty-console.jar
```

3. Once Fedora 4 is seen to be running at the following URL, start exploring the [feature tour](#)

```
http://localhost:8080/rest/
```

Note, port 8080 is the default. Replace that port number in the above URL if you used a different value.



Servlet Containers

Alternatively, instead of deploying Fedora 4 via the "one-click run", the Fedora 4 web-application can be installed by dropping the WAR file into a servlet 3 container, such as Tomcat 7 or Jetty 8.

For details on installing Fedora 4 to those containers, see the [Deploying Fedora 4 Complete Guide](#) guide.

Next Steps

Once Fedora 4 is running,

- Explore the [feature tour](#)
- Explore the web-application [configuration options](#)
- Explore enabling repository asset [authorization](#)
- Explore setting up an [external search](#) index
- Explore setting up an [external triplestore](#)