

Islandora Scholar

-

[Introduction](#)

[Requirements](#)

[Installation](#)

[Scholar Core](#)

- [Citation & Thesis Content Models](#)
- [Sherpa/RoMEO](#)

[Importers](#)

[Citation Collection & Citation Style Management](#)

- [Generating citations](#)

[Google Scholar Integration](#)

[Scholar Embargoes](#)

- [Community Best Practices for Embargoing](#)
- [Issues with Object Embargoes](#)

Introduction

Islandora Scholar is a suite of modules designed to help Islandora function as an Institutional Repository (although some features are helpful in other use cases as well). It is unique compared to other Islandora modules in terms of the number of features it provides as well as the vast amount of submodules that it contains. It is helpful to think of Scholar as being a kind of scholarly content solution pack due to the new content models it provides (citation & thesis), but it also differs from other solution packs in that it provides new functionality that may be used with other cmodels as well.

Sample Features

- New citation & thesis content models
- [Sherpa/RoMEO](#) integration
- Creation of new objects from EndNote XML or RIS files exported from other systems
- Creation of new objects from Digital Object Identifiers (DOIs) and PubMed IDs (PMIDs)
- Suppression of objects from display or disable viewing/downloading of particular datastreams
- Exporting of collections of bookmarks as RIS, RTF or PDF files
- User-selectable dynamic citation styling using Citation Style Language (CSL) files
- Extra HTML metadata to assist with Google Scholar indexing

Requirements

This module requires the following external modules/libraries:

- [Islandora](#)
- [Tuque](#)
- [Islandora Solr Search](#)

Islandora Scholar also requires the Citeproc, CSL and Bibutils modules in order to be enabled, but these modules are included in the /modules directory of Islandora Scholar module.

Please note that enabling Scholar does not automatically enable the various Scholar submodules. They must be enabled separately, and they have their own separate requirements as well.

Installation

See [this](#) for further information about standard installation of Drupal 7 modules.

It is necessary to install the [citeproc-php](#) library into the `sites/all/libraries` directory, such that the `mainCiteProc.php` file is located at `sites/all/libraries/citeproc-php/CiteProc.php`.

Also, the included Bibutils submodule only provides PHP interface to the Bibutils tool itself, which must be installed separately on the underlying operating system. Follow [these instructions](#) for installing Bibutils.

Scholar Core

While "Scholar Core" is not an official community term, it can be a helpful way to keep track of the numerous features Islandora Scholar offers. In this context, "core" features are those that come from the `islandora_scholar.module` file itself as opposed to coming from one of the numerous submodules which can be enabled or disabled independently of the main Islandora Scholar module.

Citation & Thesis Content Models

The core Islandora Scholar module provides two new content models: the `citationCModel` and the `thesisCModel`. The `citationCModel` is intended for general scholarly works, while the `thesisCModel` is for handling electronic theses and dissertations (ETDs). While the datastream structure and default display of these two cmodels is nearly identical, they can be tweaked separately to accommodate the different use cases one may have for theses vs. other scholarly works, such as altered displays or separate metadata forms.

Please note that the `citationCModel` and `thesisCModel` are in the "ir" namespace, as opposed to the standard "islandora" namespace that other cmodels have had in the past. Due to this nonstandard namespace, Islandora instances that make use of namespace restrictions will need to enable the "ir" namespace in order for the citation & thesis cmodels to work.

Sherpa/RoMEO

Another feature in Scholar Core is Sherpa/RoMEO integration, which can be used to retrieve the copyright & self-archiving policies of various academic publishers. In order to use this feature you must first configure it in the Scholar admin menu at 'admin/islandora/solution_pack_config/scholar' by checking the "Enable RoMEO attempts" checkbox and providing a [Sherpa/RoMEO API key](#). It will also only work on objects that have an identifier field with the type "ISSN" in their MODS record. Once properly set up, Islandora Scholar will use an object's ISSN number to query Sherpa/RoMEO's database of publishers and return the host publisher's copyright/self-archiving policy which shows up in the object's display.

Importers

Scholar provides options for importing objects from various sources. The **RIS Importer** and **EndNoteXML Importer** submodules allow users to take citation data files exported from other sources (such as RefWorks, EndNote or Zotero) and turn them into Islandora objects using the standard Islandora importer interface (similar to using the zip importer). The **DOI Importer** and **PMID Importer** submodules work in much the same way, but instead of using files exported by other citation managers they use Digital Object Identifier (DOI) or PubMed ID (PMID) strings.

Islandora Repository

Prepopulate metadata from source:

☒ None

An opportunity will be provided to enter metadata.

☐ DOI Populator

Performs a look-up of a DOI to populate metadata.

☐ EndNote XML Populator

Populate metadata from an EndNote XML record.

☐ PMID Populator

Performs a look-up on PubMed to populate metadata.

☐ RIS Populator

Populate metadata from an RIS record.

[Previous](#)

[Next](#)

Islandora Repository

Importer

- ✓ DOI Importer
- EndNote XML Importer
- Pubmed Importer
- RIS Importer
- ZIP File Importer

se.

Citation Collection & Citation Style Management

The **Islandora Bibliography** submodule extends [Islandora Bookmark](#) to allow it to handle collections of scholarly citations, which can be dynamically restyled with the help of the **Citeproc** and **CSL** submodules. They can also be exported in RIS, RTF or PDF format with the **Exporter** submodule.

In order to access new citation styles, go to the [Zotero CSL Repository](#) and download whatever CSL files you want to use. You can then upload your CSL files using the CSL admin page at `admin/islandora/tools/csl` and choose a default style to display on your citation & thesis object pages. If you want your users to be able to dynamically choose any available citation style from the citation/thesis object display interface, make sure to check the "Let users choose display CSL" checkbox at the bottom of the Islandora Scholar admin page at `admin/islandora/solution_pack_config/scholar`.

STYLE NAME		DELETE
APA	Is Default	Delete
Test Style	Set Default	Delete
Test Style2	Set Default	Delete
Name	Upload A CSL Style No file chosen	Add

If you want your users to be able to dynamically choose any available citation style from the citation/thesis object display interface, make sure to check the "Let users choose display CSL" checkbox at the bottom of the Islandora Scholar admin page at `admin/islandora/solution_pack_config/scholar`.

Greenways as green magnets

View
Document
Manage
MARCXML

Style

✓ APA
Archivum Immunologiae et Therapiae Experimentalis
The Open University (Harvard)

Coutts, C., & Miles, R. (2011). Greenways as green magnets: The relationship between the race of greenway users and race in proximal neighborhoods. *Journal Of Leisure Researc*. Retrieved from http://purl.flvc.org/fdu/fdu_migr_durp_faculty_publications-0013

Florida State University Libraries

2011

Greenways as green magnets: The relationship between the race of greenway users and race in proximal neighborhoods

Christopher Coutts and Rebecca Miles

Generating citations

The appropriate type of citation will be displayed according to the content of the Genre field in your Citation and Thesis objects. A case-sensitive entry is required in order to generate the correct formatting:

Type of resource	Genre term
Journal article	Article
Book chapter	book section
Book	book

Google Scholar Integration

Getting indexed by Google Scholar is a primary concern for any institutional repository due to its overwhelming popularity with researchers. A properly configured IR should be seeing most of its visitors coming from Google Scholar, but Google Scholar has [many requirements for repositories who want to be indexed](#). The **Islandora Google Scholar** submodule pulls relevant information from the MODS record of citation & thesis cmodels and turns it into meta tags and embeds it into the HTML of the display page which is the primary way that Google Scholar learns about your repository and its contents. See the meta tags with the "citation_" prefix in the screenshot below:

```

<head>
<meta charset="utf-8" />
<meta name="citation_abstract_html_url" content="http://diginole.lib.fsu.edu/islandora/object/fsu%3A207165/" />
<link rel="shortcut icon" href="http://diginole.lib.fsu.edu/sites/fsu.digital.flvc.org/files/favicon.ico" type="image/vnd.microsoft.icon" />
<meta name="citation_online_date" content="2015" />
<meta name="citation_pdf_url" content="http://diginole.lib.fsu.edu/islandora/object/fsu%3A207165/datastream/PDF/view" />
<meta name="citation_publication_date" content="2016" />
<meta name="citation_author" content="Vandegrift, Micah" />
<meta name="Generator" content="Drupal 7 (http://drupal.org)" />
<meta name="citation_title" content="Faculty Senate Library Committee - Task Force on Scholarly Communications" />
<meta name="viewport" content="width=device-width, initial-scale=1" />
<meta name="MobileOptimized" content="width" />
<meta name="HandheldFriendly" content="true" />
<meta name="apple-mobile-web-app-capable" content="yes" />
<title>Faculty Senate Library Committee - Task Force on Scholarly Communications | fsu.digital.flvc.org</title>
<style>

```

Scholar Embargoes

The **Scholar Embargo** submodule is very similar to (and can even be used in conjunction with) the [Islandora IP Embargo](#) module. Scholar Embargo allows you to suppress the display of objects in collections entirely, or allow the objects to display but disable a specified datastream on an object. Embargoes may be indefinite (meaning that they will persist until manually lifted) or temporary (meaning that they will persist until the specified expiration date chosen by an administrator, with email notifications 10 days before and on the day of an embargoes expiration).

The two primary types of embargoes are object embargoes and datastream embargoes. Objects with an "object embargo" will behave as if they don't exist for public users; they won't display in collections or search results, and will yield an access denied page when public users attempt to access them directly by PID. Only privileged users will be able to see them (more on that below). Datastream embargoes allow the object to display normally in collections and search results, but a particular datastream (specified when the embargo is placed) will be unavailable to public users to view or download. For citation and thesis objects this will be the 'PDF' datastream, but Scholar Embargoes can be applied to any content model, extending the list of possible datastreams. In order to put a Scholar Embargo on content models other than citations and theses, you must enable them from the "Embargo Settings" tab of the Islandora Scholar Embargoes admin menu at `admin/islandora/solution_pack_config/embargo` (example below).

Select Content Models for objects to be embargoed
Objects defined by selected Content Models will be eligible for embargoing.

PID	CONTENT MODEL
<input checked="" type="checkbox"/> ir:citationCModel	Citation Content Model
<input type="checkbox"/> islandora:collectionCModel	Islandora Collection Content Model
<input type="checkbox"/> islandora:sp-audioCModel	Islandora Audio Content Model
<input type="checkbox"/> islandora:sp-basic_image	Islandora Basic Image Content Model
<input type="checkbox"/> islandora:pageCModel	Islandora Page Content Model
<input type="checkbox"/> islandora:bookCModel	Islandora Internet Archive Book Content Model
<input type="checkbox"/> islandora:compoundCModel	Islandora Compound Object Content Model
<input type="checkbox"/> islandora:sp-large_image_cmodel	Islandora Large Image Content Model
<input type="checkbox"/> islandora:sp-web_archive	Islandora Web ARChive Content Model
<input type="checkbox"/> islandora:sp-videoCModel	Islandora Video Content Model
<input type="checkbox"/> ir:thesisCModel	Thesis Content Model
<input type="checkbox"/> islandora:sp-pdf	Islandora PDF Content Model
<input type="checkbox"/> islandora:newspaperCModel	Islandora Newspaper Content Model
<input type="checkbox"/> islandora:newspaperissueCModel	Islandora Newspaper Issue Content Model
<input type="checkbox"/> islandora:newspaperPageCModel	Islandora Newspaper Page Content Model
<input type="checkbox"/> islandora:OACCModel	Islandora Annotation CModel
<input type="checkbox"/> islandora:oralhistoriesCModel	Islandora Oral Histories Content Model

Configure Embargo
Reset to default

You may also use the "Manage Embargoed Items" tab in the Islandora Scholar Embargo admin menu to see all objects that are currently under embargo.

LABEL	PID	TYPE	EMBARGOED UNTIL	MANAGE
Citation - Temporary PDF Embargo	fsu:6965	PDF	Apr 08, 2036	Manage
Thesis - Indefinite Object Embargo	fsu:7270	Object	Indefinite	Manage
Thesis - Temporary PDF Embargo	fsu:7273	PDF	Apr 08, 2034	Manage
Thesis - Indefinite PDF Embargo	fsu:7274	PDF	Indefinite	Manage
Thesis - Temporary Object Embargo	fsu:7278	Object	Apr 08, 2036	Manage
Citation - Temporary Object Embargo	fsu:7969	Object	Apr 08, 2036	Manage
Citation - Indefinite Object Embargo	fsu:7982	Object	Indefinite	Manage
Citation - Indefinite PDF Embargo	fsu:8006	PDF	Indefinite	Manage

Community Best Practices for Embargoing

It is worth noting that the current best practice in the world of institutional repositories (citation needed) seems to be exposing the object display and metadata, but blocking the viewing or downloading of the full text record (typically a PDF file). This is so users can know what information is in the system through collection displays or search results, even if the system blocks them from fully accessing it. Many faculty and students like to check to make sure their records are in the repository and still embargoed, and when they can't find their record they may misunderstand and think it hasn't been loaded.

Issues with Object Embargoes

In order to place embargoes on objects, you must grant the "Manage embargo on any objects" permission to the appropriate user roles under the Islandora Scholar Embargo section of admin/people/permissions. This will allow a user to place object and datastream embargoes on objects, as well as remove or update datastream embargoes. Due to issues with the connection between Drupal permissions and the way Scholar Embargo implements its embargo policies through XACML, **currently only the object's owner will be able to remove or update object embargoes**. This is because the XACML policy works independently of Drupal permissions, and the embargo XACML policy will block everyone except the object's owner from managing the object at all once embargoed regardless of what Drupal permissions they have. A [fix for this is in the works](#) and should be part of the Islandora 7.x-1.8 release.