

# Fedora 4.7 Documentation

- [Quick Start](#)
  - Deployment Tooling
- [Feature Tour](#)
  - [Feature Tour - Actions](#)
    - [Feature Tour - Action - Content](#)
    - [Feature Tour - Action - Create Resource](#)
    - [Feature Tour - Action - Delete](#)
    - [Feature Tour - Action - Import](#)
    - [Feature Tour - Action - Transactions](#)
    - [Feature Tour - Action - Update Properties](#)
- [Features](#)
  - [Authorization](#)
    - [Access Roles Module](#)
    - [Authorization Delegates](#)
      - [Basic Role-based Authorization Delegate](#)
      - [Design Guide - Authorization Delegates](#)
      - [WebAC Authorization Delegate](#)
        - [Default Filesystem-based Policy](#)
        - [Determining the Effective Authorization Using WebAC](#)
        - [How to Use WebAC agentClass Groups](#)
        - [Quick Start with WebAC](#)
        - [WebAC Authorizations](#)
      - [XACML Authorization Delegate](#)
        - [Fedora Basic Roles - ModeShape Permission](#)
        - [Fedora XACML Attributes](#)
        - [XACML Design Discussion](#)
    - [How To Bypass Authorization](#)
    - [How to Configure Servlet Container Authentication](#)
    - [Principal Providers](#)
    - [XACML Authorization Module](#)
  - [Backup and Restore](#)
  - [External Search](#)
    - [Solr Indexing Quick Guide](#)
    - [SPARQL Recipes](#)
  - [Filesystem Federation](#)
    - [How to audit fixity in a filesystem federation](#)
    - [How to federate over a filesystem that is updated externally](#)
    - [How to incorporate static filesystem resources into your repository](#)
  - [RESTful HTTP API](#)
    - [RESTful HTTP API - Backup and Restore](#)
    - [RESTful HTTP API - Containers](#)
    - [RESTful HTTP API - Fixity](#)
    - [RESTful HTTP API - Transactions](#)
    - [RESTful HTTP API - Versioning](#)
  - [Transactions](#)
  - [Versioning](#)
  - [Identifiers](#)
  - [Linked Data Platform](#)
  - [External Content](#)
  - [Fixity Checking](#)
  - [Event Messaging](#)
- [Administrator Guide](#)
  - [Deploying Fedora 4 Complete Guide](#)
    - [Application Configuration](#)
      - [Configuration Options Inventory](#)
      - [Configuring a JMS Event Filter](#)
      - [Configuring an External PID Minter](#)
      - [Configuring JDBC Object Store](#)
      - [Configuring Logging With System Properties](#)
    - [Java HotSpot VM Options recommendations](#)
    - [System Requirements](#)
  - [Authentication and Authorization](#)
  - [Import and Export Tools](#)
  - [Setup Camel Message Integrations](#)
    - [Integration Services](#)
    - [Writing Custom Camel Routes](#)
  - [Optional - Audit Service](#)
    - [Audit Events for External Processes](#)
  - [Optional - OAI-PMH Provider](#)
  - [Metrics Reporting](#)
    - [Setup a Graphite instance](#)
  - [Performance](#)
    - [Performance Testing](#)
      - [AuthZ - No AuthZ Fedora 4 Comparison Performance Testing](#)

## Featured Pages

### Content by label

There is no content with the specified labels

## Recently Updated Pages

### Features

- Feb 08, 2018 • updated by [David Wilcox](#)
- [view change](#)
  - Best Practices - Fedora Configuration  
Jun 07, 2017 • updated by [Andrew Woods](#) • [view change](#)
  - RESTful HTTP API - Fixity  
May 10, 2017 • updated by [Bethany Seeger](#) • [view change](#)
  - Optional - OAI-PMH Provider  
Jan 06, 2017 • updated by [Andrew Woods](#) • [view change](#)
  - Solr Indexing Quick Guide  
Nov 16, 2016 • updated by [Andrew Woods](#) • [view change](#)


## Popular Topics

- [f4-vx](#)
- [kb-how-to-article](#)
- [f4-core-feature](#)
- [f4-non-spec-feature](#)
- [f4-resources](#)
- [metadata-design-patterns](#)
- [featured](#)
- [authentication](#)
- [fedora](#)
- [metrics](#)

- Fedora3 - Fedora 4 Comparison Performance Testing - 10,000 objects
- Fedora 4 Objects CRUD Performance Testing
- Fedora 4 Properties CRUD Performance Testing
- Flat Hierarchies Testing
- Modeshape Unordered Collections
- MySQL, PostgreSQL, and LevelDB Performance
- Platform Profiles
  - Determining Hardware Properties
  - Platform Profile: Cluster at Universitatea de Vest din Timioara
  - Test - Platform Profile: Cluster at Karlsruhe Institute of Technology - SCC
  - Test - Platform Profile: Cluster at Stanford University
  - Test - Platform Profile: Cluster at UNC Chapel Hill
  - Test - Platform Profile: Cluster at University of Wisconsin
  - Test - Platform Profile: Cluster at Yale University
  - Test - Platform Profile: Cluster in Amazon Web Services
  - Test - Platform Profile: ksclarke EC2 m3.medium
  - Test - Platform Profile: lib-devsandbox1.ucsd.edu
    - Test Results Summary
  - Test - Platform Profile: melendor.local
  - Test - Platform Profile: saez workstation
  - Test - Platform Profile: Single VM at UNC Chapel Hill
- Repository Profiles
  - Test - Repository Profile: Basic
  - Test - Repository Profile: Basic File LevelDB
  - Test - Repository Profile: Basic with authorization
  - Test - Repository Profile: Clustered with versioning and authorization
  - Test - Repository Profile: Federation
  - Test - Repository Profile: Minimal
    - Test - Platform Profile: Transaction Benchtool Config
- Setup Profiles
  - Test - Setup Profile: 2,000 x 50MB
  - Test - Setup Profile: 10,000 x 1KB
  - Test - Setup Profile: 10,000 x 1MB
  - Test - Setup Profile: 10,000 x 50MB
  - Test - Setup Profile: 1000 x 1MB
  - Test - Setup Profile: Emtpy Repository
  - Test - Setup Profile: Image Collection
  - Test - Setup Profile: Trees
- Single-Node Test Results
- Versioning Performance
- Workflow Profiles
  - Test - Workflow Profile: Benchtool Delete
  - Test - Workflow Profile: Benchtool Ingest
  - Test - Workflow Profile: Benchtool Property Create
  - Test - Workflow Profile: Benchtool Property Delete
  - Test - Workflow Profile: Benchtool Property Read
  - Test - Workflow Profile: Benchtool Property Update
  - Test - Workflow Profile: Benchtool Read
  - Test - Workflow Profile: Benchtool Update
  - Test - Workflow Profile: Delete
  - Test - Workflow Profile: Ingest
  - Test - Workflow Profile: Read
  - Test - Workflow Profile: Repository/Federation/NFS/SCP Comparison
  - Test - Workflow Profile: Update
  - Test - Workflow Profile: Upload/Download Roundtrip
    - Large File Ingest and Retrieval
    - Large Numbers of Containers
    - Response Time Comparison of Single Fedora VS Cluster
    - Stanford SALT Collection
- Developer Guide
  - Hydra and Fedora 4
  - Islandora and Fedora 4
  - Maven build system
- FAQs and How-Tos
  - Concept Mapping - Fedora 3 to 4
  - How-To Articles
    - Common metadata design patterns
      - Date and time ranges
      - Ordering
      - Paired values
    - How to Create a new JAX-RS resource
    - How to Get Involved
    - How to inspect LevelDB

- How to Model a Book
  - How to Run Fedora4 in AWS
  - How to setup a Fedora cluster
  - First Steps
  - Durability
  - Event-driven APIs
  - The Fedora 4 object model
  - Best Practices - RDF Namespaces
  - LDP-PCDM-F4 In Action
    - LDP-PCDM-F4 In Action - Book
    - LDP-PCDM-F4 In Action - Collection
    - LDP-PCDM-F4 In Action - Ordering
  - Best Practices - Fedora Configuration
  - Glossary
    - Technical Implementation Glossary
- 

## Component Stack



## Integration Architecture

