

DCAT Meeting March 2017

- [Date & Time](#)
- [Dial-in](#)
- [Agenda](#)
- [Preparing for the call](#)
- [Meeting notes](#)
 - [DSpace crosswalks](#)
 - [OAI Crosswalks](#)
 - [Packager Plugins](#)
 - [External integrations](#)
 - [Internal vs. external crosswalks](#)
- [Call Attendees](#)

Date & Time

- March 14th **15:00** UTC/GMT - **11:00** EDT

This call is a Community Forum call: Sharing best practices and challenges in the use of existing DSpace features

Dial-in

We will use the international conference call dial-in. Please follow directions below.

- U.S.A/Canada toll free: 866-740-1260, participant code: 2257295
- International toll free: <http://www.readytalk.com/intl>
 - Use the above link and input 2257295 and the country you are calling from to get your country's toll-free dial in #
 - Once on the call, enter participant code 2257295

Agenda

Community Forum Call: How are different institutions using crosswalks in DSpace?

Sharing best practices, challenges, and questions. The call will be dedicated to answering participants questions and discussing crosswalks.

Preparing for the call

Bring your questions/comments you would like to discuss to the call, or add them to the comments of this meeting page.

If you can join the call, or are willing to comment on the topics submitted via the meeting page, please add your name, institution, and repository URL to the Call Attendees section below.

Meeting notes

DSpace crosswalks

DSpace contains a number of [crosswalk plugins](#) to convert metadata from one metadata schema into another. Some of these are used by several of DSpace's internal features, such as the Packager plugins and OAH-PMH server. It is possible to add custom crosswalks to DSpace in the form of these crosswalk plugins.

OAI Crosswalks

The OAI harvesting functionality exposes DSpace metadata to external sources. By default this metadata is provided in the Dublin Core Metadata schema. It is possible for users to configure the OAI service to make use of any of the crosswalk plugins to provide a fit with the metadata schemas used by the service which is harvesting DSpace.

Packager Plugins

Packager plugins are a second category of modules which can call upon crosswalk plugins to convert metadata from the metadata schema used in DSpace to the desired package format to export the metadata to. In the other direction, crosswalks can also be used by these packager plugins' package ingesters to translate package contents back to the DSpace metadata structure. During the call it appeared none of the attendees were making customizations to crosswalks used by package disseminators. There was one institution which used custom crosswalks for ingesting metadata in DSpace.

External integrations

Some external integrations with DSpace also require crosswalks to translate metadata from one schema to another. One example of such platform is the Elements platform by Symplectic, which can be integrated with DSpace through the Repository Tools Package. During the meeting there was noticed Symplectic adds many crosswalks to DSpace.

Internal vs. external crosswalks

Crosswalks can also exist outside of the DSpace crosswalk plugins. In this kind of scenario metadata is exported out of DSpace, for example in a CSV format, and later externally manipulated. One technology which was used for this by an attendee was the [marc4j](#) java library. After manipulation the metadata can then be reimported, or transmitted to the desired recipient.

Call Attendees

- [Bram Luyten](#) (Atmire)
- [Maureen Walsh](#) (Ohio State University)
- [Ignace Deroost](#) (Atmire)
- [Mariya Maistrovskaya](#) (University of Toronto)
- [Iryna Kuchma](#) (EIFL)
- [Anne Lawrence](#) (Virginia Tech)
- Felicity Dykas (University of Missouri)
- [Susan Borda](#) (Montana State University)