

# Fedora 4.7.3 Documentation

- [Quick Start](#)
  - [Deployment Tooling](#)
- [Feature Tour](#)
  - [Feature Tour - Actions](#)
    - [Feature Tour - Action - Content](#)
    - [Feature Tour - Action - Create Resource](#)
    - [Feature Tour - Action - Delete](#)
    - [Feature Tour - Action - Import](#)
    - [Feature Tour - Action - Transactions](#)
    - [Feature Tour - Action - Update Properties](#)
- [Features](#)
  - [Authorization](#)
    - [Access Roles Module](#)
    - [Authorization Delegates](#)
      - [Basic Role-based Authorization Delegate](#)
      - [Design Guide - Authorization Delegates](#)
      - [WebAC Authorization Delegate](#)
        - [Default Filesystem-based Policy](#)
        - [Determining the Effective Authorization Using WebAC](#)
        - [How to Use WebAC agentClass Groups](#)
        - [Quick Start with WebAC](#)
        - [WebAC Authorizations](#)
      - [XACML Authorization Delegate](#)
        - [Fedora Basic Roles - ModeShape Permission](#)
        - [Fedora XACML Attributes](#)
        - [XACML Design Discussion](#)
    - [How To Bypass Authorization](#)
    - [How to Configure Servlet Container Authentication](#)
    - [Principal Providers](#)
    - [XACML Authorization Module](#)
  - [Backup and Restore](#)
  - [External Search](#)
    - [Solr Indexing Quick Guide](#)
  - [RESTful HTTP API](#)
    - [RESTful HTTP API - Backup and Restore](#)
    - [RESTful HTTP API - Containers](#)
    - [RESTful HTTP API - Fixity](#)
    - [RESTful HTTP API - Transactions](#)
    - [RESTful HTTP API - Versioning](#)
  - [Transactions](#)
  - [Versioning](#)
  - [Identifiers](#)
  - [Linked Data Platform](#)
  - [External Content](#)
  - [Fixity Checking](#)
  - [Event Messaging](#)
- [Administrator Guide](#)
  - [Deploying Fedora 4 Complete Guide](#)
    - [Application Configuration](#)
      - [Configuration Options Inventory](#)
      - [Configuring a JMS Event Filter](#)
      - [Configuring an External PID Minter](#)
      - [Configuring JDBC Object Store](#)
      - [Configuring Logging With System Properties](#)
    - [Java HotSpot VM Options recommendations](#)
    - [System Requirements](#)
  - [Authentication and Authorization](#)
  - [Import and Export Tools](#)
  - [Setup Camel Message Integrations](#)
    - [Integration Services](#)
    - [Writing Custom Camel Routes](#)
  - [Optional - Audit Service](#)
    - [Audit Events for External Processes](#)
  - [Optional - OAI-PMH Provider](#)
  - [Metrics Reporting](#)
    - [Setup a Graphite instance](#)
  - [Performance](#)
    - [Performance Testing](#)
      - [AuthZ - No AuthZ Fedora 4 Comparison Performance Testing](#)
      - [Fedora3 - Fedora 4 Comparison Performance Testing - 10,000 objects](#)
      - [Fedora 4 Objects CRUD Performance Testing](#)
      - [Fedora 4 Properties CRUD Performance Testing](#)
      - [Flat Hierarchies Testing](#)
      - [Modeshape Unordered Collections](#)

## Featured Pages

### Content by label

There is no content with the specified labels

## Recently Updated Pages

### [Configuring JDBC Object Store](#)

Apr 22, 2018 • updated by [Andrew Woods](#) • [view change](#)

### [Features](#)

Feb 08, 2018 • updated by [David Wilcox](#) • [view change](#)

### [First Steps](#)

Jun 16, 2017 • updated by [Andrew Woods](#) • [view change](#)

### [Developer Guide](#)

Jun 16, 2017 • updated by [Andrew Woods](#) • [view change](#)

### [Deploying Fedora 4 Complete Guide](#)

Jun 16, 2017 • updated by [Andrew Woods](#) • [view change](#)

## Popular Topics

- [f4-vx](#)
- [kb-how-to-article](#)
- [f4-core-feature](#)
- [f4-non-spec-feature](#)
- [f4-resources](#)
- [metadata-design-patterns](#)
- [featured](#)
- [authentication](#)
- [fedora](#)
- [metrics](#)

- [MySQL, PostgreSQL, and LevelDB Performance](#)
- [Platform Profiles](#)
  - [Determining Hardware Properties](#)
  - [Platform Profile: Cluster at Universitatea de Vest din Timioara](#)
  - [Test - Platform Profile: Cluster at Karlsruhe Institute of Technology - SCC](#)
  - [Test - Platform Profile: Cluster at Stanford University](#)
  - [Test - Platform Profile: Cluster at UNC Chapel Hill](#)
  - [Test - Platform Profile: Cluster at University of Wisconsin](#)
  - [Test - Platform Profile: Cluster at Yale University](#)
  - [Test - Platform Profile: Cluster in Amazon Web Services](#)
  - [Test - Platform Profile: ksclarke EC2 m3.medium](#)
  - [Test - Platform Profile: lib-devsandbox1.ucsd.edu](#)
    - [Test Results Summary](#)
  - [Test - Platform Profile: melendor.local](#)
  - [Test - Platform Profile: saez workstation](#)
  - [Test - Platform Profile: Single VM at UNC Chapel Hill](#)
- [Repository Profiles](#)
  - [Test - Repository Profile: Basic](#)
  - [Test - Repository Profile: Basic File LevelDB](#)
  - [Test - Repository Profile: Basic with authorization](#)
  - [Test - Repository Profile: Clustered with versioning and authorization](#)
  - [Test - Repository Profile: Federation](#)
  - [Test - Repository Profile: Minimal](#)
    - [Test - Platform Profile: Transaction Benchtool Config](#)
- [Setup Profiles](#)
  - [Test - Setup Profile: 2,000 x 50MB](#)
  - [Test - Setup Profile: 10,000 x 1KB](#)
  - [Test - Setup Profile: 10,000 x 1MB](#)
  - [Test - Setup Profile: 10,000 x 50MB](#)
  - [Test - Setup Profile: 1000 x 1MB](#)
  - [Test - Setup Profile: Empty Repository](#)
  - [Test - Setup Profile: Image Collection](#)
  - [Test - Setup Profile: Trees](#)
- [Single-Node Test Results](#)
- [Versioning Performance](#)
- [Workflow Profiles](#)
  - [Test - Workflow Profile: Benchtool Delete](#)
  - [Test - Workflow Profile: Benchtool Ingest](#)
  - [Test - Workflow Profile: Benchtool Property Create](#)
  - [Test - Workflow Profile: Benchtool Property Delete](#)
  - [Test - Workflow Profile: Benchtool Property Read](#)
  - [Test - Workflow Profile: Benchtool Property Update](#)
  - [Test - Workflow Profile: Benchtool Read](#)
  - [Test - Workflow Profile: Benchtool Update](#)
  - [Test - Workflow Profile: Delete](#)
  - [Test - Workflow Profile: Ingest](#)
  - [Test - Workflow Profile: Read](#)
  - [Test - Workflow Profile: Repository/Federation/NFS/SCP Comparison](#)
  - [Test - Workflow Profile: Update](#)
  - [Test - Workflow Profile: Upload/Download Roundtrip](#)
- [Large File Ingest and Retrieval](#)
- [Large Numbers of Containers](#)
- [Response Time Comparison of Single Fedora VS Cluster](#)
- [Stanford SALT Collection](#)
- [Developer Guide](#)
  - [Hydra and Fedora 4](#)
  - [Islandora and Fedora 4](#)
  - [Maven build system](#)
- [FAQs and How-Tos](#)
  - [Concept Mapping - Fedora 3 to 4](#)
  - [How-To Articles](#)
    - [Common metadata design patterns](#)
      - [Date and time ranges](#)
      - [Ordering](#)
      - [Paired values](#)
    - [How to Create a new JAX-RS resource](#)
    - [How to Get Involved](#)
    - [How to inspect LevelDB](#)
    - [How to Model a Book](#)
    - [How to Run Fedora4 in AWS](#)
    - [How to setup a Fedora cluster](#)
  - [First Steps](#)
  - [Durability](#)
  - [Event-driven APIs](#)

- [The Fedora 4 object model](#)
  - [Best Practices - RDF Namespaces](#)
  - [LDP-PCDM-F4 In Action](#)
    - [LDP-PCDM-F4 In Action - Book](#)
    - [LDP-PCDM-F4 In Action - Collection](#)
    - [LDP-PCDM-F4 In Action - Ordering](#)
  - [Best Practices - Fedora Configuration](#)
  - [Glossary](#)
    - [Technical Implementation Glossary](#)
- 

## Integration Architecture

