

Feature Tour

Much of the functionality that is exposed through the [RESTful HTTP API](#) is also available using an HTML user interface interpreted by your favorite web browser. Whether your request for particular HTTP API endpoints results in an HTML UI or more machine-readable formats is based on content negotiation headers. This tour walks you through the major user interface components when accessing the HTTP API through a web browser.

Home Page

When you access the root path of the RESTful HTTP API you are presented with a rendering of the root level of your Fedora repository.

From here you can:

- Create new [Glossary](#) ([Glossary](#) or [Glossary](#))
- Inspect the properties of Resources.
- Update the properties of Resources.
- Navigate the Repository Hierarchy of Resources.
- Import/Export Resources.
- Start Transactions.

Fedora 4 Home Types Transactions ▾

http://54.173.23.104:8080/fcrepo4/rest/

Home

UUID
87a0a8c7505d64/
Created at
by
Last Modified at
by
Children 0

Properties +

Other Resources

http://54.173.23.104:8080/fcrepo4/rest/fcr:export?format=jcr/xml +

jcr/xml +

Create New Child Resource

Type
object ▾

Identifier
(auto-generated identifier)

Add

Update Properties

PREFIX dc:
<http://purl.org/dc/elements/1.1/>
PREFIX nt:
<http://www.jcp.org/jcr/nt/1.0>
PREFIX fcrepo:
<http://fedora.info/definitions/v4/r
epository#>
PREFIX foaf:
<http://xmlns.com/foaf/0.1/>
PREFIX fedoraconfig:
.....

Update

Export as... ▾

Import

Choose File No file chosen

Format
jcr/xml ▾

Import

The user interface is divided into regions.

- Navigation bar (top)
- Resource information and navigation (center left)
- Optional resource actions (center right)

Navigation Bar

The navigation bar, which appears at the top of each page, includes links to the following:

- Home
- [Feature Tour - Action - Transactions](#)

Resource Information

Information about the resource requested is displayed below the navigation bar, filling the left two thirds of interface.

1 Example Title

2 [Home](#) / [pid1](#)

3 UUID

ae2e6067-5c8c-4f2e-a2da-894cd3abbc2d

Created at

2014-11-14T19:27:29.701Z by bypassAdmin

Last Modified at

2014-11-14T20:49:09.056Z by bypassAdmin

4 Children 0

5 Properties

dc: **title**
Example Title

fedora: **created**
2014-11-14T19:27:29.701Z

fedora: **createdBy**
bypassAdmin

fedora: **exportsAs**
<http://54.173.23.104:8080/fcrepo4/rest/pid1/fcr:export?format=jcr/xml>

fedora: **hasParent**
<http://54.173.23.104:8080/fcrepo4/rest/>

fedora: **lastModified**
2014-11-14T20:49:09.056Z

fedora: **lastModifiedBy**
bypassAdmin

fedora: **mixinTypes**
fedora:Container
fedora:Resource

fedora: **primaryType**
nt:folder

fedora: **uuid**
ae2e6067-5c8c-4f2e-a2da-894cd3abbc2d

fedora: **writable**
true

rdf: **type**
<http://fedora.info/definitions/v4/repository#Container>
<http://fedora.info/definitions/v4/repository#Resource>
<http://www.jcp.org/jcr/mix/1.0created>
<http://www.jcp.org/jcr/mix/1.0lastModified>
<http://www.jcp.org/jcr/mix/1.0referenceable>
<http://www.jcp.org/jcr/nt/1.0base>
<http://www.jcp.org/jcr/nt/1.0folder>
<http://www.jcp.org/jcr/nt/1.0hierarchyNode>
<http://www.w3.org/ns/ldp#Container>
<http://www.w3.org/ns/ldp#RDFSSource>

6 Other Resources

[jcr/xml](#) +

<http://54.173.23.104:8080/fcrepo4/rest/pid1/fcr:export?format=jcr/xml> +

1 Object Title

If a title (either <http://www.w3.org/2000/01/rdf-schema#label> or <http://purl.org/dc/elements/1.1/title>) is available, it is displayed here. If no title has been assigned, the resource URI is displayed in this location.

2 Object Path

Fedora 4 is different from Fedora 3 in that there is an innate tree hierarchy to the repository rather than a flat structure. The path (list of ancestors) for the viewed resource is presented below the object title. Performance is expected to be better with a deeper hierarchy with fewer items per level as opposed to a shallow hierarchy where each level has a larger number of siblings. The automatic ID (and path) generated is meant to optimize performance, but you may use your own organizational strategy when creating resources.

In this particular example, the container was created with a fully qualified name including a namespace and local name (separated by a colon). Fedora 4 does not require (nor recommend) that identifiers have namespaces.

3 Featured Properties

Very basic metadata such as the UUID and modification/creation times and users are presented below the resource path.

4 Children

Any children that the container has will be listed and linked here. Like the parent container, if a child resource has recognized title metadata, the title will be presented here rather than its URI.

5 All Resource Properties

All properties of the resource are presented here. Hover your mouse over the namespace prefix to see the full namespace.

6 Other Resources

A subset of properties from the parent resource. Click on the gray box to expand the list of properties or the label text to view that resource directly.

Actions

On the right side of each page is a list of actions that can be performed for the [Glossary](#) at the current path.

These may include:

Feature Tour - Action - Create Resource

Feature Tour - Action - Create Resource

From the homepage or any [Glossary](#) page a form exists that lets you create a new container or [Glossary](#) that will be the child of the current container.

Feature Tour - Action - Content

Feature Tour - Action - Content

When viewing a [Glossary](#) with [Glossary](#) content, click the large green button to download that content. You can also update the description of the binary using the form.

Feature Tour - Action - Update Properties

Feature Tour - Action - Update Properties

When viewing a [resource](#), you can add or delete properties using the "Update Properties" form.

Feature Tour - Action - Delete

Feature Tour - Action - Delete

You can delete the resource you are currently viewing by clicking the red "Delete" button.

Feature Tour - Action - Import

Feature Tour - Action - Import

When viewing a [Glossary](#), you can export it using the "Export as..." button. In the case of [Glossary](#), you can also import a resource using the "Import" form.