

# Feature Tour - Action - Create Resource

From the homepage or any [Glossary](#) page a form exists that lets you create a new container or [Glossary](#) that will be the child of the current container.


## Creating Containers or Binaries

You have the option to create a container or binary. When you create a container by selecting "container" for the "Type" field, you may provide an identifier and click "Add" to create a new container with that identifier.

### Identifier

If you choose to enter an identifier, it may be a simple or namespaced name. If you opt not to enter an identifier, a new resource will be created with an automatically generated name and path.

Special Characters


 When entering an identifier for a resource, certain characters have specific meanings that you should understand to avoid errors.

- The colon ":" character is used to separate namespace prefixes from local names. If a colon is entered in a name it must be preceded by a valid registered namespace prefix.
- The slash "/" character is used to denote hierarchical path separation. Multiple resources will be created in the event that slashes exist in your specified ID.

### File

When you choose to create a new [Glossary](#), a file selection form element is presented. You must select a file that will be the content of the binary. A description of the binary, termed a [Glossary](#), will also be created.

Warning

 It is not recommended to upload files larger than 1GB using this HTML form. To ingest large files, please refer to the [RESTful HTTP API - Containers](#).

## Create New Child Resource

Type

object

Identifier

(auto-generated identifier)

Add

# Create New Child Resource

Type

binary



Identifier

(auto-generated identifier)

File

Choose File

No file chosen

Add

---