

DevMtg 2017-09-20

Developers Meeting on Weds, Sept 20, 2017

Today's Meeting Times



- DSpace Developers Meeting / Backlog Hour: 15:00 UTC in [#duraspace IRC](#) or [#dev-mtg Slack channel](#) (these two channels sync all conversations)
 - Please note that all meetings are [publicly logged](#)

Agenda

Quick Notes / Reminders

- **NEXT DSpace 7 UI MEETING:** TOMORROW, Sept 21 at 15:00 UTC (11:00am EDT) in Google Hangouts
 - [DSpace 7 Working Group \(2016-2023\)](#) - Watch this page for initial ongoing updates on meetings, etc.

Discussion Topics

1. DSpace High Priority Tickets

- a. High Priority (Blocker, Critical or Major) and flagged for release

key	summary	type	created	updated	assignee	reporter	priority	status	fixversions
Unable to locate Jira server for this macro. It may be due to Application Link configuration.									

- b. Need Code Review, Flagged for Release

key	summary	type	created	updated	assignee	reporter	priority	status	fixversions
Unable to locate Jira server for this macro. It may be due to Application Link configuration.									

2. Other Tickets needing discussion / attention? (*Please feel free to add any you wish to discuss under this topic*)

3. Ongoing discussion topics:

- a. Management of database connections for DSpace going forward (7.0 and beyond). What behavior is ideal? Also see notes at [DSpace Database Access](#)
 - i. In DSpace 5, each "Context" established a new DB connection. Context then committed or aborted the connection after it was done (based on results of that request). Context could also be shared between methods if a single transaction needed to perform actions across multiple methods.
 - ii. In DSpace 6, Hibernate manages the DB connection pool. Each **thread** grabs a Connection from the pool. This means two Context objects could use the same Connection (if they are in the same thread). In other words, code can no longer assume each new `Context()` is treated as a new database transaction.
 1. Should we be making use of `SessionFactory.openSession()` for READ-ONLY Contexts (or any change of Context state) to ensure we are creating a new Connection (and not simply modifying the state of an existing one)? Currently we always use `SessionFactory.getCurrentSession()` in `HibernateDBConnection`, which doesn't guarantee a new connection: https://github.com/DSpace/DSpace/blob/dspace-6_x/dspace-api/src/main/java/org/dspace/core/HibernateDBConnection.java

4. Reviewing JIRA Tickets or PRs

- a. Please feel free to bring any that need eyes / immediate discussion
- b. [JIRA Backlog of "Received" tickets](#)
- c. [All open PRs](#)

Ticket Summaries

1. Help us test / code review! These are tickets needing code review/testing and flagged for a future release:

key	summary	type	created	updated	assignee	reporter	priority	status	fixversions
Unable to locate Jira server for this macro. It may be due to Application Link configuration.									

2. Newly created tickets this week:

key	summary	type	created	assignee	reporter	priority	status
Unable to locate Jira server for this macro. It may be due to Application Link configuration.							

3. Old, unresolved tickets with activity this week:

key	summary	type	created	updated	assignee	reporter	priority	status
Unable to locate Jira server for this macro. It may be due to Application Link configuration.								

4. Tickets resolved this week:

key	summary	type	created	assignee	reporter	priority	status	resolution
Unable to locate Jira server for this macro. It may be due to Application Link configuration.								

5. Tickets requiring review. This is the JIRA Backlog of "Received" tickets:

key	summary	type	created	updated	assignee	reporter	priority
Unable to locate Jira server for this macro. It may be due to Application Link configuration.							

Meeting Notes

Meeting Transcript

- IRC Transcript is available at - <http://irclogs.duraspace.org/index.php?date=2017-09-20>