

LDP-PCDM-F4 In Action - Collection

Collections In Action

2: Final State - Collection

Continuing with the previous example of modeling and creating a book with LDP, PCDM and F4, here we will detail an approach for adding that book, "raven/" to a new collection, "poe/".

The diagram illustrates the LDP structure for a collection. At the root, there is a box labeled '/'. Below it, there are two boxes: '/collections/' and '/objects/'. The '/collections/' box is labeled 'pcdm:Collection' and has a dashed arrow labeled 'pcdm:hasMember' pointing to the '/objects/' box, which is labeled 'pcdm:Object'. The '/objects/' box has a solid arrow labeled 'pcdm:Object' pointing to a box labeled './raven/'. The './raven/' box has three solid arrows pointing to three boxes: './cover/', './page0/', and './page1/'. Each of these boxes is labeled 'pcdm:Object'. The './cover/' box has two solid arrows pointing to two boxes: './cover.jpg' and './cover.tif', both labeled 'pcdm:File'. The './page0/' box has two solid arrows pointing to two boxes: './page0.jpg' and './page0.tif', both labeled 'pcdm:File'. The './page1/' box has two solid arrows pointing to two boxes: './page1.jpg' and './page1.tif', both labeled 'pcdm:File'. To the right of the diagram, there are two boxes: 'ldp:BasicContainer' and 'ldp:NonRdfSource'.


The objective in this section is to leverage LDP interaction models to not only create the appropriate pcdm:hasMember relationship between the collection "poe/" and the book "raven/", but to put the LDP structure in place for a simplified addition of new items to the "poe/" collection.

- [Collection - Create IndirectContainer](#)
- [Collection - Create Raven Proxy](#)
- [Collection - Conclusion](#)

Collection - Create IndirectContainer

Collection - Create IndirectContainer

Here we will begin to walk through the mechanics of creating the structures that will facilitate creation of the collection and its single member, in this case.



First, create the top-level "collections/" pcdm:Object, which is also an ldp:BasicContainer.

```
curl -i -XPUT -H"Content-Type: text/turtle" --data-binary @pcdm-object.ttl localhost:8080/fcrepo/rest/collections/
```

Where "pcdm-object.ttl" follows:

pcdm-object.ttl

```
@prefix pcdm: <http://pcdm.org/models#>

<> a pcdm:Object .
```

Second, create the nested "poe/" pcdm:Collection, which is also another ldp:BasicContainer.

```
curl -i -XPUT -H"Content-Type: text/turtle" --data-binary @pcdm-collection.ttl localhost:8080/fcrepo/rest/collections/poe/
```

Where "pcdm-collection.ttl" follows:

```
@prefix pcdm: <http://pcdm.org/models#>

<> a pcdm:Collection .
```

Lastly, create an ldp:IndirectContainer, "members/" that will facilitate the establishment of relationships between "poe/" and the collection members.

```
curl -i -XPUT -H"Content-Type: text/turtle" --data-binary @ldp-indirect.ttl localhost:8080/fcrepo/rest/collections/poe/members/
```

Where "ldp-indirect.ttl" follows:

ldp-indirect.ttl

```
@prefix ldp: <http://www.w3.org/ns/ldp#>
@prefix pcdm: <http://pcdm.org/models#>
@prefix ore: <http://www.openarchives.org/ore/terms/>

<> a ldp:IndirectContainer, pcdm:Object ;
    ldp:membershipResource </fcrepo/rest/collections/poe/> ;
    ldp:hasMemberRelation pcdm:hasMember ;
    ldp:insertedContentRelation ore:proxyFor .
```

Similar to the previously described `ldp:DirectContainer`, an `ldp:IndirectContainer` is an LDP construct that also activates the creation of certain RDF triples when a new resource is added as a child of this container.

Just like with a `DirectContainer`, when a new resource is added inside of the "members/" `IndirectContainer`, a new triple on the `ldp:membershipResource` ("poe/") will be created with the predicate defined by the `ldp:hasMemberRelation` property ("pcdm:hasMember").


However, the difference from a `DirectContainer` is that the object of the created triple is not the newly added child, but instead the resource defined by the `ldp:insertedContentRelation` property (`ore:proxyFor`, in this case) found on the newly added child of this container.

We will see this in action next!

Collection - Create Raven Proxy

Collection - Create Raven Proxy

Create a new `pcdm:Object`, "ravenProxy/", that is an `Idp:RdfSource` within the "members/" `IndirectContainer`.



```
curl -i -XPUT -H"Content-Type: text/turtle" --data-binary @pcdm-raven-proxy.ttl localhost:8080/fcrepo/rest/collections/poe/members/ravenProxy
```

Where "pcdm-object.ttl" follows:

pcdm-raven-proxy.ttl

```
@prefix pcdm: <http://pcdm.org/models#>
@prefix ore: <http://www.openarchives.org/ore/terms/>

<> a pcdm:Object ;
  ore:proxyFor </fcrepo/rest/objects/raven/> .
```

As mentioned in the previous step, the addition of "ravenProxy/" automatically creates the following new triple on "poe/".

```
<http://localhost:8080/fcrepo/rest/collections/poe/> pcdm:hasMember <http://localhost:8080/fcrepo/rest/objects/raven/>
```

The `Idp:IndirectContainer` defines the creation of this triple as follows:

- the subject of the triple comes from the "Idp:membershipResource" defined on "members/"
- the predicate of the triple comes from the "Idp:hasMemberRelation" defined on "members/", and
- the object of the triple is the resource defined by the `Idp:insertedContentRelation` property (`ore:proxyFor`) found on the newly added child resource, "ravenProxy".

Collection - Conclusion

Using LDP in conjunction with PCDM terms, we have created a collection, "poe/", with its single member, "raven/".