

RESTful HTTP API - Fixity

- HEAD Request the fixity checksum for a given digest algorithm
- GET Get the fixity report for an object
- Note: Default Fixity Algorithm

Request URI: /path/to/some/binary

Methods: HEAD, GET

HEAD

Request the fixity checksum for a given digest algorithm

Checking fixity requires retrieving the content from the binary store and may take some time.

Request Headers:

WANT-DIGEST

md5, sha, sha-256

Example:

```
curl -I -H "Want-Digest: sha-256" "http://localhost:8080/rest/path/to/some/binary"
```

Response (fixity success):

```
Status: 200 OK

Headers:
ETag: "51c5ed5fff4b6c79233cc7573a387902f7d171e7"
Last-Modified: Fri, 04 May 2018 18:14:47 GMT
Content-Type: image/jpeg
Accept-Ranges: bytes
Content-Disposition: attachment; filename="IMG_4023.JPG.jpg"; creation-date="Fri, 04 May 2018 18:14:47 GMT";
modification-date="Fri, 04 May 2018 18:14:47 GMT"; size=47021
Link: <http://www.w3.org/ns/ldp#Resource>;rel="type"
Link: <http://www.w3.org/ns/ldp#NonRDFSource>;rel="type"
Link: <http://localhost:8080/rest/examples/binary/fcr:acl>; rel="acl"
Link: <http://localhost:8080/rest/examples/binary/fcr:metadata>; rel="describedby"
Link: <http://localhost:8080/static/constraints/NonRDFSourceConstraints.rdf>; rel="http://www.w3.org/ns/ldp#constrainedBy"
Link: <http://localhost:8080/rest/examples/binary>; rel="timegate"
Link: <http://localhost:8080/rest/examples/binary>; rel="original"
Link: <http://localhost:8080/rest/examples/binary/fcr:versions>; rel="timemap"
Link: <http://mementoweb.org/ns#OriginalResource>; rel="type"
Link: <http://mementoweb.org/ns#TimeGate>; rel="type"
Accept-External-Content-Handling: copy,redirect,proxy
Allow: DELETE,HEAD,GET,PUT,OPTIONS
Digest: sha-256=08692ca74dc1e08c84f90feda5e64c72617be850a7c7adca88b03f6ccd3db406
Content-Length: 47021
```

Status:

200

OK

400

Bad request (the 'Want-Digest' request-header algorithm type is either invalid or unsupported)

404

Resource not found

NOTE: While the following feature is still available in Fedora 5, it is deprecated and may be removed in a future release.

Request URI: /path/to/some/resource/fcr:fixity

Methods: GET

GET

Get the fixity report for an object

Checking fixity requires retrieving the content from the binary store and may take some time.

The /fcr:fixity endpoint is not part of the Fedora API Specification. This feature is currently supported for backwards compatibility reasons and may be removed in a future release.

Request Headers:

ACCEPT application/ld+json, application/n-triples, application/rdf+xml, application/x-turtle, application/xhtml+xml, application/xml, text/html, text/n3, text/plain, text/rdf+n3, text/turtle

Example:

```
curl -H "Accept: text/turtle" "http://localhost:8080/rest/path/to/some/resource/fcr:fixity"
```

Response (fixity success):

```
Status: 200 OK

Headers:
Content-Type: text/turtle

Body:

@prefix premis: <http://www.loc.gov/premis/rdf/v1#> .
@prefix rdf: <http://www.w3.org/1999/02/22-rdf-syntax-ns#> .

<http://localhost:8080/rest/path/to/some/resource>
  premis:hasFixity <http://localhost:8080/rest/path/to/some/resource#fixity/1494431303920> .

<http://localhost:8080/rest/path/to/some/resource#fixity/1494431303920>
  rdf:type premis:Fixity ;
  rdf:type premis:EventOutcomeDetail ;
  premis:hasEventOutcome "SUCCESS" ;
  premis:hasMessageDigestAlgorithm "SHA-1" ;
  premis:hasMessageDigest <urn:sha1:ca3392593351ef8e6554bdabfb8bdc1002ecb6f> ;
  premis:hasSize "1277811"^^<http://www.w3.org/2001/XMLSchema#long> .
```

Response (fixity failure):

```
Status: 200 OK
Headers:
Content-Type: text/turtle

Body:

@prefix premis: <http://www.loc.gov/premis/rdf/v1#> .
@prefix rdf: <http://www.w3.org/1999/02/22-rdf-syntax-ns#> .

<http://localhost:8080/rest/path/to/some/resource>
    premis:hasFixity <http://localhost:8080/rest/path/to/some/resource#fixity/1494445619308> .

<http://localhost:8080/rest/path/to/some/resource#fixity/1494445619308>
    rdf:type premis:Fixity ;
    rdf:type premis:EventOutcomeDetail ;
    premis:hasEventOutcome "BAD_CHECKSUM" ;
    premis:hasEventOutcome "BAD_SIZE" ;
    premis:hasMessageDigestAlgorithm "SHA-1" ;
    premis:hasMessageDigest <urn:sha1:1d3d03c656cf0a944c393bf9257c6cecd8a5263f> ;
    premis:hasSize "1287509"^^<http://www.w3.org/2001/XMLSchema#long> .
```

Status:

200

OK

404

Resource not found

Note: Default Fixity Algorithm

When ingesting a binary resource, one or more checksums may be provided, see [API reference \(POST example 4, POST example 4b, PUT example 3\)](#). The supported algorithms are: SHA-1, SHA-256 and MD5.

By default, the algorithm used by the /fcr:fixity endpoint is SHA-1. However, that may be changed - per resource - to one of the other supported algorithms by configuring the property: fedoraconfig:defaultDigestAlgorithm. See [API reference \(PATCH example 2\)](#).