

Fedora 4.2.0 Release Notes

Release date: 19 May, 2015

We are proud to announce the release of Fedora 4.2.0.

- [Resources](#)
- [Team](#)
 - [Release Manager](#)
 - [Developers](#)
 - [Issue Reporters](#)
- [Summary](#)
 - [Updates](#)
- [All Issues](#)
- [References](#)

Resources

- This release has been built against Java 8
- [Downloads](#) [1]
- [Javadocs](#) [2]

Team

Release Manager

[Andrew Woods](#)

Developers

- [A. Soroka](#) (University of Virginia)
- [Unknown User \(acoburn\)](#) (Amherst College)
- [Andrew Woods](#) (DuraSpace)
- [Unknown User \(daniel-dgi\)](#) (Discovery Garden)
- [Unknown User \(escowles@ucsd.edu\)](#) (University of California, San Diego)
- [Jared Whiklo](#) (University of Manitoba)
- [Kevin Glover](#)
- [Michael Durbin](#) (University of Virginia)
- [Mohamed Mohideen Abdul Rasheed](#) (University of Maryland)
- [Nianli Ma](#) (Indiana University)
- [Nick Ruest](#) (York University)
- [Osman Din](#) (Yale University)

Issue Reporters

- [A. Soroka](#)
- [Aaron Birkland](#)
- [Unknown User \(acoburn\)](#)
- [Andrew Woods](#)
- [Unknown User \(daniel-dgi\)](#)
- [Unknown User \(escowles@ucsd.edu\)](#)
- [Kevin Bowrin](#)
- [Kevin Glover](#)
- [Michael Durbin](#)
- [Nianli Ma](#)
- [Nick Ruest](#)
- [Osman Din](#)
- [Ralf Claussnitzer](#)

Summary

The focus of the 4.2.0 release was twofold:

- Establish an Audit Service
- Create and exercise tooling for Fedora 3 to 4 migrations

Additionally, numerous bugs and housekeeping issues were addressed.

The reason this release is 4.2.0 instead of 4.1.2 is because the required version of Java was upgraded to Java8 per the project [policy](#) [3].

Updates

Audit Service

1. Establish framework for capturing internal and external events in an external triplestore
2. Establish framework for persisting internal and external events within the repository
3. Create Audit Service [administrator documentation](#) [4]

[illegible]

Unable to locate Jira server for this macro. It may be due to Application Link configuration.

Unable to locate Jira server for this macro. It may be due to Application Link configuration.

Unable to locate Jira server for this macro. It may be due to Application Link configuration.

Unable to locate Jira server for this macro. It may be due to Application Link configuration.

Unable to locate Jira server for this macro. It may be due to Application Link configuration.

Unable to locate Jira server for this macro. It may be due to Application Link configuration.

Unable to locate Jira server for this macro. It may be due to Application Link configuration.

Fedora 3 to 4 Migration

1. With the [migration-utils utility](#) [5], enable the following types of migration from Fedora 3 to Fedora 4
 - a. Simple RDF datastreams
 - b. Redirect datastreams
 - c. External datastreams
 - d. Datastream properties
 - e. RDF properties in RELS-INT datastreams
 - f. Legacy-FS FOXML

Unable to locate Jira server for this macro. It may be due to Application Link configuration.

Unable to locate Jira server for this macro. It may be due to Application Link configuration.

Unable to locate Jira server for this macro. It may be due to Application Link configuration.

Unable to locate Jira server for this macro. It may be due to Application Link configuration.

Unable to locate Jira server for this macro. It may be due to Application Link configuration.

Unable to locate Jira server for this macro. It may be due to Application Link configuration.

Unable to locate Jira server for this macro. It may be due to Application Link configuration.

Unable to locate Jira server for this macro. It may be due to Application Link configuration.

Unable to locate Jira server for this macro. It may be due to Application Link configuration.

Unable to locate Jira server for this macro. It may be due to Application Link configuration.

Unable to locate Jira server for this macro. It may be due to Application Link configuration.

Unable to locate Jira server for this macro. It may be due to Application Link configuration.

Fedora Java Client

1. Update [Fedora 4 Java Client library](#) [6] to:
 - a. Support property updates on Non-RDF Source Descriptions
 - b. Support creation of Fedora 4 "external" content with "message/external-body" content-type

Unable to locate Jira server for this macro. It may be due to Application Link configuration.

Unable to locate Jira server for this macro. It may be due to Application Link configuration.

Java 8

1. Update build machinery and projects for Java 8

Unable to locate Jira server for this macro. It may be due to Application Link configuration.

Unable to locate Jira server for this macro. It may be due to Application Link configuration.

Unable to locate Jira server for this macro. It may be due to Application Link configuration.

Unable to locate Jira server for this macro. It may be due to Application Link configuration.

Linked Data Platform

1. Respond with 501 on client-provided Link header for LDPR creation
2. NonRDFSources now have rdf:type Idp:NonRDFSouce

Unable to locate Jira server for this macro. It may be due to Application Link configuration.

Unable to locate Jira server for this macro. It may be due to Application Link configuration.

Bugs and Housekeeping

1. Bug: Creating a node in the web application through a proxy causes the baseUrl to be set incorrectly
2. Standardizing underlying libraries
3. Updating ReadMe files
4. Refactoring code
5. Reducing leakage of JCR concepts
6. Improve OSGi support

Unable to locate Jira server for this macro. It may be due to Application Link configuration.

Unable to locate Jira server for this macro. It may be due to Application Link configuration.

Unable to locate Jira server for this macro. It may be due to Application Link configuration.

Unable to locate Jira server for this macro. It may be due to Application Link configuration.

Unable to locate Jira server for this macro. It may be due to Application Link configuration.

Unable to locate Jira server for this macro. It may be due to Application Link configuration.

Unable to locate Jira server for this macro. It may be due to Application Link configuration.

Unable to locate Jira server for this macro. It may be due to Application Link configuration.

Unable to locate Jira server for this macro. It may be due to Application Link configuration.

Unable to locate Jira server for this macro. It may be due to Application Link configuration.

Unable to locate Jira server for this macro. It may be due to Application Link configuration.

Unable to locate Jira server for this macro. It may be due to Application Link configuration.

Unable to locate Jira server for this macro. It may be due to Application Link configuration.

Unable to locate Jira server for this macro. It may be due to Application Link configuration.

Unable to locate Jira server for this macro. It may be due to Application Link configuration.

| |
|---|
| Unable to locate Jira server for this macro. It may be due to Application Link configuration. |
| Unable to locate Jira server for this macro. It may be due to Application Link configuration. |
| Unable to locate Jira server for this macro. It may be due to Application Link configuration. |
| Unable to locate Jira server for this macro. It may be due to Application Link configuration. |
| Unable to locate Jira server for this macro. It may be due to Application Link configuration. |
| Unable to locate Jira server for this macro. It may be due to Application Link configuration. |
| Unable to locate Jira server for this macro. It may be due to Application Link configuration. |
| Unable to locate Jira server for this macro. It may be due to Application Link configuration. |
| Unable to locate Jira server for this macro. It may be due to Application Link configuration. |
| Unable to locate Jira server for this macro. It may be due to Application Link configuration. |
| Unable to locate Jira server for this macro. It may be due to Application Link configuration. |
| Unable to locate Jira server for this macro. It may be due to Application Link configuration. |
| Unable to locate Jira server for this macro. It may be due to Application Link configuration. |
| Unable to locate Jira server for this macro. It may be due to Application Link configuration. |
| Unable to locate Jira server for this macro. It may be due to Application Link configuration. |

All Issues

| key | summary | type | assignee | reporter | priority | status | resolution |
|-----|---|------|----------|----------|----------|--------|------------|
| | Unable to locate Jira server for this macro. It may be due to Application Link configuration. | | | | | | |

[25]

References

[1] <https://wiki.duraspace.org/display/FF/Downloads>

[2] <http://docs.fcrepo.org>

[3] <https://wiki.duraspace.org/display/FF/Policy++Supported+JVM>

[4] <https://wiki.duraspace.org/display/FEDORA4x/Setup+Audit+Service>

[5] <https://github.com/fcrepo4-labs/migration-utils>

[6] <https://github.com/fcrepo4-labs/fcrepo4-client>