

DSpace Google Analytics Statistics

Google Analytics Recording

For a number of years now it has been possible to record User Interface traffic by enabling the recording of Google Analytics data within DSpace using the `jspui.google.analytics.key` or `xmlui.google.analytics.key` in the DSpace configuration file `dspace.cfg`. Until DSpace version 5.0 only User Interface activity could be recorded, that is to say that downloads initiated straight from a Google search (or any other search engine) were not recorded. As of DSpace version 5.0 downloads are now recorded as Google 'Events', so that all item page views and bitstream downloads are now recorded.

Google Analytics Reporting

As of DSpace version 5.0 it has also become possible to expose that recorded Google Analytics data within DSpace. At present this is only available to those sites using themes based on the XMLUI Mirage2 theme but it is hoped that further development will result in it being available for other XMLUI themes and for the JSPUI. The data is retrieved from Google using the Google Analytics Reporting API v3. This feature is disabled by default, to enable it please follow the instructions below.

Please read the documentation found at <https://developers.google.com/analytics/devguides/reporting/core/v3/> and <https://developers.google.com/accounts/docs/OAuth2ServiceAccount>. It is the definitive documentation, however, it is over detailed for our purposes so the critical steps are summarised below. The theory is that as a developer you would create a Google project, write your application and store the code in the Google code repository, then create a Google Service Account which your application could use to retrieve data from the Google Analytics API. In our case we already have our application, DSpace, but we still have to go through the motions of creating a project in order to be able to be able to generate the Service Account which we need to allow DSpace to talk to the Google Analytics API.

1. Enable the Google Analytics XMLUI aspect by editing the configuration file `{dspace.dir}/config/xmlui.xconf`.
2. Logon to the Google Developers Console <https://console.developers.google.com/project> with whatever email address you use to access/manage your existing Google Analytics account(s).
3. Create a new Google Project. The assumption is that you are developing some new software and will make use of the Google code repository. This is not the case but you need to create the skeleton project before you can proceed to the next step.
4. Enable the Analytics API for the project. In the sidebar on the left, click **Library**. Next, click **Analytics API**. On the Analytics API Dashboard, select **Enable API**.
5. Create a service account. In the sidebar on the left, select **Credentials**. Select **Create credentials**, then in the subsequent popup, select **Service account key**. On the next page, click the **Service account** dropdown and select **New service account**. Enter an account name. Be sure to select the **P12** Key type. This will automatically generate the required Service Account email address and certificate.
6. Go to your Google Analytics dashboard <http://www.google.com/analytics/>. Create an account for the newly generated Service Account email address and give it permission to 'Read and Analyze' at account level. See *Note below.
7. Download the P12 key file, and place it somewhere that your DSpace application can access and be referenced as described below in the configuration section.

OAuth

OAuth 2.0 allows users to share specific data with you (for example, contact lists) while keeping their usernames, passwords, and other information private.

[Learn more](#)

Create new Client ID

Service account

Client ID	649449954448-jsa37gf
Email address	649449954448-jsa37gf
Certificate fingerprints	05d38ee743dcb5e0da2a9d536101d180becf71

Generate new JSON key

Generate new P12 key

*Note:- The Google documentation specifies that the Service Account email address should only require 'Read and Analyze' permission to this specific Property, it does not need permissions to your Account level Google Analytics.

Configuration settings for Google Analytics Statistics

In the `{dspace.dir}/config/dspace.cfg` file review the following field to make sure it is uncommented:

Property:	<code>xmlui.google.analytics.key</code>
Value:	<code>UA-12345678-1</code>

Informational Note:

Logon to the Google Analytics Dashboard and select the Property (or website in plain English) that you wish to target. Then select the Admin section for the property. You should then be able to select the 'Property Settings' for the property (e.g. Test Project) you are interested in. Use the value of Tracking ID. This is not the same as your View Settings View ID (i.e. ga:12345678)

Administration

testaccount@modular-ethos-151215.iam.gserviceaccount.com

ACCOUNT

testaccount@modular-ethos-151215.iam....

PROPERTY

Test Project

VIEW

All Web Site Data

Account Settings

User Management

Property Settings

User Management

View Settings

User Management

Then this value is the Tracking ID:

Property Settings

Basic Settings

Tracking Id

UA-88310951-1

Property Name


Test Project

Default URL

http://www.example.org

In the {dspace.dir}/config/modules/google-analytics.cfg file review the following fields to make sure they are uncommented:

P r o p e r t y:	application.name
V a l u e:	Dummy Project
I n f o r m a t i o n a l N o t e:	Not sure if this property is required but it was in the example code provided by Google. Please do not delete.

P r o p e r t y:	table.id
E x a m p l e V a l u e:	ga:12345678
I n f o r m a t i o n a l N o t e:	Logon to the Google Analytics Dashboard and select the Property (or website in plain English) that you wish to target. Then select the Admin section for property. You should then be able to select the 'View Settings' for the view (i.e. All Web Site Data) you are interested in. The View ID should replace 12345678 below (note - confusingly the Reporting API documentation refers to the View ID as Table ID). This is not the same as your Property Setting Tracking ID (i.e. UA-112233-6) Account[Longsight DSpace Clients] -> Property[SUNY Dev] -> View[All Web Site Data] -> View Settings  Then this value is the View ID: Reporting View Settings Basic Settings View ID 102888219 View Name All Web Site Data Website's URL http:// suny-dspace-dev.long sight.com
P r o p e r t y:	account.email

Example Value:	true
Informational Note:	Control if the statistics pages should be only shown to authorized users. If enabled, only the administrators for the DSpaceObject will be able to view the statistics. If disabled, anyone with READ permissions on the DSpaceObject will be able to view the statistics.

Once Google Analytics Statistics is enabled and configured, you can then view reports. An example report looks like:

<http://localhost:8080/xmlui/handle/999/1/google-stats>

Google Analytics Statistics

Start date:

End date:

Page Views

2015 / 05	10
2015 / 04	0
2015 / 03	0
2015 / 02	0
2015 / 01	0